

National Energy Balance

2013





© All rights reserved. Reproduction of all or any part of this publication via electronic, mechanical, recording or other medium is strictly prohibited without written consent from the Energy Commission.

PUBLISHED BY:

SURUHANJAYA TENAGA (ENERGY COMMISSION)

No. 12, Jalan Tun Hussein, Precinct 2, 62100 Putrajaya, Malaysia

Tel: (03)8870 8500 Fax: (03)8888 8637 Toll Free Number: 1 - 800 - 2222 - 78 (ST)

Email: info@st.gov.my

www.st.gov.my www.meih.st.gov.my

ISSN NO.: 0128 - 6323 ST(P)01/03/2014

PRINTED IN MALAYSIA

TABLE OF CONTENTS

PREFACE	06
INTRODUCTION	07
DATA COMPILATION	08
EXECUTIVE SUMMARY	09
KEY ECONOMIC AND ENERGY DATA	14
OIL	36
NATURAL GAS	42
COAL	48
ELECTRICITY	52
KEY ENERGY STATISTICS	64
ENERGY FLOW CHART	86
MANUFACTURING INDUSTRY IN PENINSULAR MALAYSIA	88
NOTES ON ENERGY BALANCE	93
CONVERSION COEFFICIENTS AND EQUIVALENCE	96
DEFINITION	98

LIST OF STATISTICAL TABLE AND FIGURES

KEY ECONOMIC AND ENERGY DATA	
Table 1 : Key Economic and Energy Data Table 2 : Key Economic and Energy Data by Region Figure 1 : Trends in GDP, Primary Energy Supply and Final Energy Consumption Figure 2 : Primary Energy Supply, Electricity Consumption and Final Energy Consumption per Capita Figure 3 : Trends in GDP and Electricity Consumption Figure 4 : Annual Growth Rates of GDP, Primary Energy Supply, Final Energy Consumption and Electricity Consumption Figure 5 : Primary and Final Energy Intensity Figure 6 : Electricity Intensity Figure 7 : Final Energy and Electricity Elasticity Figure 8 : Primary Energy Supply Figure 9 : Final Energy Consumption by Sectors Figure 10 : Final Energy Consumption by Type of Fuels Figure 11 : Official Selling Prices of Malaysian Crude Oil Figure 12 : Ex-Singapore Prices of Malaysia Crude Oil Figure 13 : Annual Liquefied Petroleum Gas (LPG) Contract Prices — Arab Gulf Figure 14 : Retail Fuel Prices in Malaysia Figure 15 : Average Annual Prices of Natural Gas in Malaysia Figure 16 : Final Energy Consumption per Capita in ASEAN Figure 17 : Final Energy Intensity in ASEAN	14 15 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34
Table 3 : Production and Reserves of Oil as of 1st January 2013 Table 4 : Refinery Licensed Capacity, 2013 Table 5 : Breakdown on Sales of Petroleum Products in Thousand Barrels, 2013 Figure 18 : Net Export of Crude Oil Figure 19 : Export and Import of Petroleum Products Figure 20 : Production of Petroleum Products from Refineries Figure 21 : Final Consumption for Petroleum Products	36 36 36 37 38 39 40
NATURAL GAS Table 6 : Reserves and Production of Natural Gas as of 1st January 2013 Table 7 : Consumption of Natural Gas in MMscf, 2013 Figure 22 : Export and Import Of Piped Natural Gas and LNG Figure 23 : Natural Gas Consumption by Sectors Figure 24 : Conversion in Gas Plants	42 42 43 44 45

COAL

Table 8	:	Production and Reserves of Coal as of 31st December 2013	48
Table 9	:	Consumption of Coal in Metric Tonnes, 2013	48
Figure 25	:	Net Import of Coal	49
Figure 26	:	Coal Consumption by Sectors	50

ELECTRICITY

Table 10	:	Installed Capacity as of 31st December 2013 in MW	52
Figure 27	:	Share of Installed Capacity as of 31st December 2013	53
Table 11	:	Available Capacity as of 31st December 2013 in MW	54
Figure 28	:	Share of Available Capacity as of 31st December 2013	54
Table 12	:	Installed Capacity of Major Hydro Power Stations	55
Table 13	:	Installed Capacity of Mini Hydro Power Stations	56
Table 14	:	Transmission Network in Circuit – kilometres	57
Table 15	:	Distribution Network in Circuit – kilometres	57
Table 16	:	Gross Generation, Consumption, Available Capacity, Peak Consumption and	
		Reserve Margin for Electricity in Malaysia	57
Figure 29	:	Energy Input in Power Stations	58
Table 17	:	Electricity Consumption by Sectors in GWh	58
Figure 30	:	Electricity Consumption by Sectors	59
9	:	Electricity Consumption by Sectors	60
Table 18	:	Electricity Generation and Installed Capacity of Renewable Energy by Public	
		Licensee by Region in 2013	61
Table 19	:	Electricity Generation and Installed Capacity of Renewable Energy by Private	
		Licensee by Region in 2013	62

KEY ENERGY STATISTICS

Table 20	:	Primary Energy Supply in ktoe	64
Table 21	:	Net Import and Export of Energy in ktoe	65
Table 22	:	Conversion in Gas Plants in ktoe	66
Table 23	:	Conversion in Refineries in ktoe	67
Table 24	:	Conversion in Power Stations (exclude co-generation & private licensed plants) in ktoe	68
Table 25	:	Final Energy Consumption by Sectors in ktoe	69
Table 26	:	Final Energy Consumption Type of Fuels in ktoe	70
Table 27	:	Final Consumption for Petroleum Products in ktoe	71
Table 28	:	Selected Energy and Economic Indicators (1990-2013)	72
⊤able 29	:	Energy Balance Table in 2013 (kilo tones of oil equivalent)	74
Table 30	:	Energy Balance Table in First Quarter (1Q) of 2013 (kilotonnes of oil equivalent)	76
Table 31	:	Energy Balance Table in Second Quarter (2Q) of 2013 (kilotonnes of oil equivalent)	78
Table 32	:	Energy Balance Table in Third Quarter (3Q) of 2013 (kilotonnes of oil equivalent)	80
Table 33	:	Energy Balance Table in Fourth Quarter (4Q) of 2013 (kilotonnes of oil equivalent)	82

MANUFACTURING INDUSTRY IN PENINSULAR MALAYSIA

Table 34	:	Final Energy Consumption by Sub-Sectors in Manufacturing Sector, 2010	89
Table 35	:	Final Energy Consumption by Sub-Sectors in Manufacturing Sector, 2011	90
Table 36	:	Final Energy Consumption by Sub-Sectors in Manufacturing Sector, 2012	91
Table 37	:	Final Energy Consumption by Sub-Sectors in Manufacturing Sector, 2013	92

LIST OF NOTES

Energy Balance Format Notes on Electricity Notes on Coal Notes on Gross Domestic Products (GDP) Notes on Gross National Income (GNI)	93 94 94 95 95
--	----------------------------

PREFACE

The Malaysian economy expanded by 4.7 percent in 2013 (2012: 5.64 percent), driven by the continued strong growth in domestic consumption. Despite the weaker external environment in the first half of the year, domestic consumption remained resilient throughout the year, led by robust private sector activity.



The overall performance of the energy sector in 2013 continued to be strong. The total primary energy supply (TPES) showed a growth of 4.9 percent (2012: 9.1 percent) from the previous year, to register at 90,730 ktoe. On the consumption side, the total final energy consumption (TFEC) grew from 49,291 ktoe in 2012 to 51,583 ktoe in 2013, equivalent to a growth rate of 4.6 percent (2012: 13.4 percent).

The strong growth of energy supply was mainly attributed to a higher production of natural gas while the higher growth in energy consumption was due mainly to increased consumption in the transportation sector. Electricity consumption grew at a slower pace of 5.8 percent compared to that in the previous year of 8.4 percent, resulting in a lower electricity elasticity of 1.22 in 2013 compared to 1.49 in 2012.

As of December 2013, Malaysia's installed capacity was at 29,748 MW of which 81.0 percent or 24,105 MW was in Peninsular Malaysia, 11.6 percent (3,447 MW) in Sarawak and the remaining 7.4 percent (2,196 MW) in Sabah. In terms of fuel mix, for the first time, the shares of coal and natural gas were evenly balanced at 43.7 percent each. This was followed by hydropower at 8.7 percent, fuel oil and diesel at 3.3 percent and the remaining 0.7 percent was from renewable sources.

I wish to thank all relevant government agencies, power utilities, independent power producers, oil and gas companies, coal producers, cement and iron and steel manufacturers, and others, for their continued contribution and support in making the publication of the NEB 2013 a success. I hope this report will be a valuable document for all, particularly in our quest to ensure secure and sustainable energy supply for Malaysia.


Thank you.

Y.B Datuk Seri Panglima Dr. Maximus Johnity Ongkili

Minister of Energy, Green Technology and Water Malaysia

INTRODUCTION

Energy Commission (ST) is honoured to be mandated by the Ministry of Energy, Green Technology and Water (MEGTW) of Malaysia to be the focal point for energy data in the country. Being the reference point for official energy data in Malaysia, ST has put in efforts to make sure that the quality of the data produced is well maintained. The National Energy Balance (NEB) publication is the medium for the industry, institutional and public user to get information on Malaysia's energy situation through a systematic manner. The reporting format of NEB is based on international standards that have been adopted by all countries in the world.



The new era for the NEB started when we launched our Malaysia Energy Information Hub (MEIH) website back in the year 2012. During that time we only offered data dissemination section for the public users to view and download the data. Now, we are proud to announce that most of our data providers are submitting the NEB data though the MEIH online data submission. A series of training had been conducted for all data providers to make sure that they are understand the concept and the objective of the MEIH. Moreover, from time to time we will make sure that the MEIH website is constantly update with the latest data and information.

In the effort to support the policy makers in drafting our national energy policy, we had successfully conducted a survey on the manufacturing sector. Previously our energy consumption data was not broken into sub-sectors and had been reported as lump-sum figures. With the results from the survey we had managed to estimate our manufacturing sub-sectors consumption based on their fuel types. As a result, this will be a good input to the Government especially the policy makers to get a better picture of energy consumption from the manufacturing.

As the focal point for energy data in Malaysia, we will continually support our regional and international agencies by submitting appropriate energy data to them. Through this cooperation, we hope to have a fair exchange of information with other countries that can benefit all. Furthermore, our energy data information will be a good reference to the foreign investors that have interests in our country.

Lastly, I wish to thank the Ministry of Energy, Green Technology and Water for their full support to make sure that our NEB reports are published successfully. To all data providers, your invaluable cooperation is much appreciated and I hope we will continue to enjoy this meaningful commitment.

Thank you.

Dato' Abdul Razak Bin Abdul Majid

Chairman of Energy Commission Malaysia

DATA COMPILATION

The first stage in compiling the overall energy balance is to rearrange the data to fit into a standard structure of commodity (or partial) balance. The commodity balance shows clearly the production, imports, exports, stock change and consumption for each energy commodity. The basic sequence adhered to in the overall balance is:-


PRODUCTION + IMPORTS - EXPORTS +/- STOCK CHANGE = APPARENT INLAND DELIVERIES (OR CONSUMPTION)

In practice, however, "Apparent inland deliveries" deduced from supply statistics hardly ever match actual sales data. It is necessary, therefore, to include two "statistical discrepancies" - the first to account for the difference in apparent inland delivery of primary supply mainly due to the difficulties in obtaining actual stock change data and difference in data compilation at source and the second to account for the difference in secondary supply as the result of the transformation processes of one form of energy to another.

In addition, the statistical discrepancies also act as a balancing tool to minimise possible errors. In the case of oil and oil products, losses in transportation and distribution, as well as statistical errors are included in the statistical discrepancies. However, for electricity, distribution losses and the sector's own use of electricity are accounted for in the "losses and own use".

Stock changes are not fully accounted for in the balance. It is extremely difficult to obtain stocks of all energy commodities at distributors and final users. Only oil companies' stocks are readily available and these would include stocks at refineries and depots. The statistical discrepancy might thus also include unrecorded stock changes. Coal stocks at TNB power station and a producer in Sarawak are taken into account in this report.

In summary, the flow of energy is represented by the following equations:-



EXECUTIVE SUMMARY

ENERGY/ ECONOMY OVERVIEW

growth in 2013

The Malaysian economy expanded by 4.7 percent in 2013 (2012: 5.6 percent), driven by the continued strong growth in domestic consumption. Despite the weaker external environment in the first half of the year, domestic consumption remained resilient throughout the year, led by robust private sector activity. Private consumption was supported mainly by favourable employment conditions and wage growth. Private investment was underpinned by capital spending in the mining, services and manufacturing sectors.

Despite lower economic growth rate for the country compared to previous year, Malaysia energy supply and consumption posted a strong growth. Total primary energy supply continued to increase at 4.9 percent (2012: 9.1 percent) due to higher production and imports especially from natural gas and petroleum products. Our total final energy consumption recorded a 4.6 percent growth, contributed by higher fuel consumed in the transportation sector.

PRIMARY ENERGY SUPPLY



to register at 90,730 ktoe

The total primary energy supply in 2013 increased at 4.9 percent to register at 90,730 ktoe. The increased was contributed by higher natural gas production in 2013. Total natural gas production increased by 2.9 percent to settle at 64,406 ktoe (2012: 62,581 ktoe). The higher production of natural gas was due to higher production from Sarawak gas fields and increased of 6.8 percent compared to the previous year. The production of crude oil, however, decreased by 1.8 percent to register at 28,576 ktoe. Only Sabah oil fields showed an upward trend with a growth of 2.2 percent. This was due to the new deepwater field at offshore Sabah named Gumusut-Kakap. The Gumusut-Kakap field's full development comprises 19 subsea wells which are linked to a permanent structure of the semi-FPS and an oil export pipeline that will bring crude oil to the Sabah Oil and Gas Terminal in Kimanis, Sabah. The system has a design capacity to process up to 150,000 barrels of oil equivalent (boe) per day. The total imports of energy in 2013 also showed an increase with a 13.7 percent growth rate. Analysis by share showed that we are importing about 55.9 percent of oil, followed by coal at 27.3 percent and gas at 26.8 percent. Malaysia's total energy exports decreased by 2.5 percent to settle at 51,899 ktoe. 55.1 percent of total energy export was from gas, followed by oil at 43.9 percent and coal at 0.6 percent.

Analysis by share showed that natural gas had still the largest share of total primary energy supply with 44.1 percent. Natural gas share dropped compared to the previous year's share at 44.7 percent. The share of crude oil, petroleum products and others remained strong with a share of 36.4 percent. The total primary supply of coal and coke constituted 16.6 percent of the total. While the hydropower's share was at 3.0 percent compared to only 2.5 percent during the previous year.

Malaysia's crude oil reserves stood was at 5.850 billion barrels as of 1st January 2013 compared to 5.954 billion barrels in the previous year. The dropped was contributed by lower reserve mainly coming from Peninsular Malaysia with negative growth rate of 3.2 percent. Malaysia's natural gas reserves as of 1st January 2013 increased to 98.320 trillion standard cubic feet (tscf), an increase of 6.7 percent from the 2012 level of 92.122 tscf. The major increase of the natural gas reserves was observed in Sarawak, as the reserves increase by 16.4 percent. There were few discoveries of gas in Sarawak namely Adong Kecil West-1 well in Block SK333, onshore Sarawak and Pegaga-1 well in Block SK320, offshore Sarawak.

ENERGY TRANSFORMATION



In the year 2013, LNG production increased by 7.8 percent to register at 28,037 ktoe, the highest ever annual production since its operation started. Increased production of LNG was due to higher input of natural gas in LNG plants by 8.4 percent. This high production of LNG in 2013 has enabled Malaysia to ship out 422 cargoes to customers. Malaysia started to import LNG through the commercial start-up of the Melaka Re-gasification Terminal (RGT) in May 2013 at 1,450 ktoe, which will improve the security of natural gas supply in Peninsular Malaysia. It also allows third parties to import LNG and sell natural gas to domestic customers. The total petroleum products produced from Middle Distillate Synthesis (MDS) plant recorded a decrease of 1.6 percent to settle at 478 ktoe. Out of this total, 61.7 percent was for non-energy products, 27.8 percent diesel and 10.5 percent kerosene.

Liquefied Petroleum Gas (LPG) production from LNG had decreased to 172 ktoe as more natural gas was converted to LNG. A similar trend was observed for the LPG production as it registered a negative growth rate to register at 1,174 ktoe in the year 2013. The lower production of LPG from GPP was due to lower input of natural gas in GPP with only at 3,231 ktoe compared to that in the previous year at 6,235 ktoe.

Malaysia's total refinery capacity currently is 492 kilo barrels per day (kbpd), not including the condensates splitter capacity of 74.3 kbpd. In 2013, the total refinery output had decreased by 5.1 percent to register at 24,727 ktoe (2012: 26,047 ktoe). The major drop was from Kerosene, ATF & AV Gas, Non-Energy and Fuel Oil. Diesel registered the highest share (44.7 percent), followed by petrol (19.0 percent), non-energy (12.5 percent), ATF and AV Gas (11.1 percent), fuel oil (5.2 percent), LPG (5.1 percent) kerosene (1.6 percent) and refinery gas (0.8 percent).



Malaysia's total installed electricity generation capacity as at the end of 2013 was 29,748 MW, an increase of 2.1 percent from 29,143 MW in 2012. This was attributed to the additional capacity of 600 MW of the major hydro installation of Bakun project in Sarawak. This made the total capacity of Bakun installation hydro to be 1,800 MW. Gross electricity generation registered at 143,497 GWh, an increase of 6.8 percent from the previous year (2012: 134,375 GWh). On the other hand, the electricity consumption was 123,076 GWh, an increase of 5.8 percent from the previous year (2012: 116,354 GWh). The peak demand for Peninsular Malaysia was recorded at 16,562 MW in the second quarter of the year (2Q 2013), Sarawak at 1,783 MW (in 3Q 2013) and Sabah at 874 MW (3Q 2013). The calculated reserve margin for Peninsular Malaysia in 2013 was 31.3 percent, 14.7 percent for Sarawak and Sabah at 34.1 percent.

The total energy input in power stations had increased by 5.8 percent in 2013 to 30,959 ktoe. Coal and natural gas continued to be the main fuel sources for electricity generation, with a share of 43.7 percent each. It was followed by hydropower at 8.7 percent, diesel and fuel oil at 3.3 percent, while renewables was at 0.7 percent.

Analysis of the electricity consumption by sectors showed that the agriculture sector recorded the highest increase with 7.5 percent compared to the previous year to settle at 32 ktoe (375 GWh). It was followed by the industrial sector, which had increased by 6.6 percent from the previous year to register at 4,809 ktoe (55,886 GWh). The residential sector continued to post a strong growth in 2013 at 6.4 percent to settle at 2,262 ktoe (26,288 GWh). Moreover, the commercial sector also recorded a positive growth of 4.2 percent to register at 3,466 ktoe (40,286 GWh). Electricity consumption for the transportation sector posted a negative growth of 1.1 percent to settle at 21 ktoe (241 GWh) compared to the previous year.

FINAL ENERGY CONSUMPTION

In terms of share, **petrol**



and diesel



continued to be the largest contributors to the total consumption

for petroleum products

Malaysia total final energy consumption posted a growth of 4.6 percent in 2013. The growth was underpinned by the higher fuel consumed in the transportation sector especially for petrol and ATF & AV Gas. The total final energy consumption in the transportation sector recorded an increase of 13.2 percent to settle at 22,357 ktoe (2012: 19,757 ktoe). The high increase in the transportation sector was due to favourable employment conditions and wage growth. During the year, wages in the domestic-oriented industries in the manufacturing sector recorded a stronger growth (10.3 percent; 2012: 6.6 percent), whilst those in the export-oriented industries registered sustained growth (5 percent; 2012: 5.2 percent). The implementation of the minimum wage policy on 1 January 2013 also contributed to the higher wage levels. The Government financial assistance to lowand middle-income households continued to support private consumption, albeit to a lesser extent compared to 2012. These included Bantuan Rakyat 1Malaysia (BR1M), Baucar Buku 1Malaysia (BB1M), and schooling assistance to primary and secondary school students, which in total amounted to RM3.8 billion.

The residential and commercial sectors continue to expand with growth of 4.8 percent to register at 7,403 ktoe. The total final energy consumption in the industrial sector recorded a negative growth of 3.0 percent to settle at 13,496 ktoe. This was due to lower consumption of natural gas and petroleum products as manufacturers switched to electricity as their source of energy. The non-energy sector also recorded a negative growth rate of 2.9 percent to register at 7,277 ktoe. The agriculture sector maintained its energy consumption at 1,051 ktoe (2012: 1,052 ktoe). The industrial GDP for Malaysia in 2013 registered a slightly lower growth of 3.3 percent compared to the year before at 4.4 percent. Malaysia's industrial energy intensity for 2013 was 64 toe/RM Million, an improvement of 6.0 percent from the previous year due to lower growth of the industry and non-energy sector.

The analysis of the total final energy consumption by type of fuels showed that petroleum products constituted about 57.0 percent of total energy consumption, followed by electricity at 20.5 percent, 19.5 percent for natural gas and 3.0 percent for coal and coke. All others fuel types showed an upward trend compared to the previous year except for coal and coke and natural gas. The final consumption of coal and coke decreased 11.7 percent compared to previous year to register at 1,539 ktoe. The final consumption of natural gas decreased by 1.3 percent in 2013 to 10,076 ktoe due to the decrease in consumption from the non-energy and industry sector. The final electricity consumption increased by 5.8 percent compared to the previous year.

In 2013, the total final energy consumption for petroleum products increased by 7.3 percent with the major increase coming from petrol and ATF & AV Gas. Final consumption for petrol increase by 16.7 percent while final consumption for ATF & AV Gas increase by 18.9 percent. In terms of share, petrol (43.4 percent) and diesel (32.8 percent) continued to be the largest contributors to the total consumption for petroleum products. This was followed by ATF and AV Gas (10.3 percent), LPG (10.1 percent), non-energy (2.3 percent) fuel oil (1.1 percent), and kerosene (0.1 percent).

OUTLOOK IN 2014

expanding by

4.5 ⁻

5.5%

The Malaysian economy is expected to remain on a steady growth path in 2014, expanding by 4.5-5.5 percent (2013: 4.7 percent). The growth momentum will be supported by better performance in the external sector amid some moderation in domestic demand.

Malaysia's energy supply and consumption will be expected to grow further in 2014. Positive growth will be expected in the transportation, residential and commercial sectors. Electricity consumption in Sarawak will be expected to grow at a strong rate with many energy intensive industry players becoming fully operational. Furthermore, on the supply side, crude oil and natural gas production are projected to experience positive growth due to higher local and export consumption.



01.

KEY ECONOMIC AND ENERGY DATA



TABLE 1: KEY ECONOMIC AND ENERGY DATA

			2013		
	Q1	Q2	Q3	Q4	TOTAL
GDP at current prices (RM million)*	233,898	237,507	250,275	265,053	986,733
GDP at 2005 prices (RM million)*	187,093	193,249	200,591	206,678	787,611
GNI at current prices (RM million)*	225,861	229,415	242,306	255,025	952,607
GNI at 2005 prices (RM million)*	173,708	179,178	187,353	190,246	730,485
Population ('000 people)	29,814	29,915	30,002	30,089	29,915**
Primary Energy Supply (ktoe)	22,176	23,475	22,668	22,412	90,730
Final Energy Consumption (ktoe)	12,655	13,229	12,788	12,912	51,583
Electricity Consumption (ktoe)	2,532	2,711	2,673	2,673	10,590
Electricity Consumption (GWh)	29,433	31,510	31,069	31,064	123,076
Per Capita					
GDP at Current Prices (RM)*	31,381	31,758	33,368	35,236	32,985
Primary Energy Supply (toe)	0.744	0.785	0.756	0.745	3.033
Final Energy Consumption (toe)	0.424	0.442	0.426	0.429	1.724
Electricity Consumption (kWh)	987	1,053	1,036	1,032	4,114
Energy Intensity					
Primary Energy Supply (toe/GDP at 2005 prices (RM million))	118.5	121.5	113.0	108.4	115.2
Final Energy Consumption (toe/GDP at 2005 prices (RM million))	67.6	68.5	63.8	62.5	65.5
Electricity Consumption (toe/GDP at 2005 prices (RM million))	13.5	14.0	13.3	12.9	13.4
Electricity Consumption (GWh/GDP at 2005 prices (RM million))	0.157	0.163	0.155	0.150	0.156

Note: (*) Quarterly data from Department of Statistics Malaysia (**) Mid-year population from Department of Statistics Malaysia

TABLE 2: KEY ECONOMIC AND ENERGY DATA BY REGION

PENINSULAR MALAYSIA	2005	2006	2007	2008	2009	2010	2011	2012	2013
GDP at Current Prices (RM million)*	451,305	493,461	546,624	623,052	583,652	653,772	718,666	770,225	810,569
GDP at 2005 Prices (RM million)*	451,305	476,899	506,808	532,612	522,240	564,959	595,224	632,369	663,458
Population ('000 people)**	20,785	21,180	21,577	21,970	22,363	22,754	23,099	23,417	23,726
Final Energy Consumption (ktoe)	32,195	34,390	37,921	38,530	34,521	35,593	35,968	36,683	41,859
Electricity Consumption (ktoe)	998'9	6,669	7,030	7,307	7,567	8,145	8,427	8,791	9,108
Electricity Consumption (GWh)	73,987	77,504	81,710	84,924	87,950	94,666	626'26	102,174	105,861
Per Capita									
GDP at Current Prices (RM)*	21,713	23,298	25,334	28,360	26,099	28,733	31,112	32,892	34,164
Final Energy Consumption (toe)	1.549	1.624	1.757	1.754	1.544	1.564	1.557	1.567	1.764
Electricity Consumption (kWh)	3,560	3,659	3,787	3,866	3,933	4,161	4,240	4,363	4,462
Energy Intensity									
Final Energy Consumption (toe/GDP at 2005 prices (RM million))	71.3	72.1	74.8	72.3	66.1	63.0	60.4	58.0	63.1
Electricity Consumption (toe/GDP at 2005 prices (RM million))	14.1	14.0	13.9	13.7	14.5	14.4	14.2	13.9	13.7
Electricity Consumption (GWh/GDP at 2005 prices (RM million))	0.164	0.163	0.161	0.159	0.168	0.168	0.165	0.162	0.160

Note:
(*) 1. GDP data by States from Department of Statistics Malaysia
2.. GDP for Peninsular Malaysia including Supra State
(Supra State covers production activities that beyond the centre of predominant economic interest for any state)
(**) Midyear population from Department of Statistics Malaysia

SABAH	2005	2006	2007	2008	2009	2010	2011	2012	2013
GDP at Current Prices (RM million)*	34,573	38,760	45,893	57,510	52,542	58,658	66,654	67,919	08,930
GDP at 2005 prices (RM million)*	34,573	36,772	37,996	41,483	43,472	44,747	45,687	47,686	49,266
Population ('000 people)**	2,978	3,045	3,116	3,190	3,267	3,348	3,435	3,523	3,581
Final Energy Consumption (ktoe)	2,806	2,587	2,879	3,068	3,046	2,758	3,466	4,671	4,097
Electricity Consumption (ktoe)	238	255	285	299	329	355	368	425	439
Electricity Consumption (GWh)	2,766	2,969	3,317	3,474	3,818	4,127	4,275	4,943	2,097
Per Capita									
GDP at Current Prices (RM)*	11,610	12,729	14,730	18,030	16,081	17,520	19,405	19,277	19,248
Final Energy Consumption (toe)	0.942	0.850	0.924	0.962	0.932	0.824	1.009	1.326	1.144
Electricity Consumption (kWh)	929	975	1,065	1,089	1,169	1,233	1,245	1,403	1,423
Energy Intensity									
Final Energy Consumption (toe/GDP at 2005 prices (RM million))	81.2	70.3	75.8	74.0	70.1	61.6	75.9	6.76	83.2
Electricity Consumption (toe/GDP at 2005 prices (RM million))	6.9	6.9	7.5	7.2	7.6	7.9	8.1	8.9	8.9
Electricity Consumption (GWh/GDP at 2005 prices (RM million))	0.080	0.081	0.087	0.084	0.088	0.092	0.094	0.104	0.103

Note: (*) 1. GDP data by States from Department of Statistics Malaysia 2. GDP for Sabah including WP Labuan (**) Mid-year population from Department of Statistics Malaysia

SARAWAK	2005	2006	2007	2008	2009	2010	2011	2012	2013
GDP at Current Prices (RM million)*	57,700	64,563	72,823	89,387	76,663	84,897	100,001	103,805	107,234
GDP at 2005 prices (RM million)*	22,700	60,265	65,283	65,470	64,173	66,947	70,849	618,17	74,887
Population ('000 people)**	2,282	2,325	2,366	2,408	2,451	2,487	2,528	2,570	2,608
Final Energy Consumption (ktoe)	3,274	3,330	3,461	3,302	3,277	3,125	4,086	5,358	5,628
Electricity Consumption (ktoe)	339	348	368	380	391	493	445	795	1,043
Electricity Consumption (GWh)	3,940	4,045	4,277	4,416	4,544	5,730	5,172	9,237	12,118
Per Capita									
GDP at Current Prices (RM)*	25,280	25,922	27,591	27,184	26,185	26,918	28,027	27,972	28,713
Final Energy Consumption (toe)	1.434	1.432	1.463	1.371	1.337	1.256	1.616	2.085	2.158
Electricity Consumption (kWh)	1,726	1,740	1,808	1,834	1,854	2,304	2,046	3,594	4,646
Energy Intensity									
Final Energy Consumption (toe/GDP at 2005 prices (RM million))	56.7	55.3	53.0	50.4	51.1	46.7	57.7	74.5	75.1
Electricity Consumption (toe/GDP at 2005 prices (RM million))	5.9	5.8	5.6	2.8	6.1	7.4	6.3	11.1	13.9
Electricity Consumption (GWh/GDP at 2005 prices (RM million))	0.068	0.067	0.066	0.067	0.071	0.086	0.073	0.129	0.162

Note: (*) GDP data by States from Department of Statistics Malaysia (**) Mid-year population from Department of Statistics Malaysia






FIGURE 2: PRIMARY ENERGY SUPPLY, ELECTRICITY CONSUMPTION AND FINAL ENERGY CONSUMPTION PER CAPITA








FIGURE 5: PRIMARY AND FINAL ENERGY INTENSITY






FIGURE 6: ELECTRICITY INTENSITY





2) Electricity Elasticity = Ratio between growths of electricity consumption with economic growth
Electricity Elasticity = Growth Rate of Electricity Consumption (%)
Growth Rate of GDP (%)

Note:

1) Final Energy Elasticity = Ratio between growths of energy consumption with economic growth
Final Energy Elasticity = G<u>rowth</u> Rate of Energy Consumption (%)
Growth Rate of GDP (%)

FIGURE 8: PRIMARY ENERGY SUPPLY








FIGURE 11: OFFICIAL SELLING PRICES OF MALAYSIAN CRUDE OIL



USD/Barrel

FIGURE 12: EX-SINGAPORE PRICES OF MAJOR PETROLEUM PRODUCTS







FIGURE 14: RETAIL FUEL PRICES IN MALAYSIA






FIGURE 16: FINAL ENERGY CONSUMPTION PER CAPITA IN ASEAN





FIGURE 17: FINAL ENERGY INTENSITY IN ASEAN



02. OIL



TABLE 3: PRODUCTION AND RESERVES OF OIL AS OF 1st JANUARY 2013

RESERVES (BILLION BARRELS)				(Т	PRO HOUSAND BARRELS	DUCTION PER DAY)
REGION	CRUDE OIL	CONDENSATES	TOTAL	CRUDE OIL	CONDENSATES	TOTAL
Peninsular Malaysia	1.947	0.388	2.335	208.0	38.7	246.7
Sabah	1.826	0.097	1.923	143.9	-	143.9
Sarawak	1.088	0.504	1.592	110.5	74.2	184.8
TOTAL	4.861	0.989	5.850	462.4	113.0	575.3

Source: PETRONAS

TABLE 4: REFINERY LICENSED CAPACITY

	LOCATION	START-UP DATE	THOUSAND BARRELS/DAY
Petron Malaysia	Port Dickson, Negeri Sembilan	1960	88
PETRONAS	Kertih, Terengganu*	1983	49
PETRONAS	Melaka	1994	100
Malaysia Refining Company Sdn Bhd (PETRONAS / ConocoPhillips)	Melaka	1998	100
Total			492
TOTAL			492

Source: PETRON, PETRONAS & SHELL Note:

(*) Excludes condensate splitter of 74,300 bpd


TABLE 5: BREAKDOWN ON SALES OF PETROLEUM PRODUCTS IN THOUSAND BARRELS

PETROLEUM PRODUCTS	PENINSULAR MALAYSIA	SABAH	SARAWAK	TOTAL
Petrol	90,810	5,651	6,520	102,981
Diesel	56,398	10,151	12,749	79,298
Fuel Oil	2,317	608	0	2,924
Kerosene	107	59	68	234
LPG	13,661	1,375	1,819	16,856
ATF & AV Gas	22,262	458	249	22,969
Non Energy	3,045	517	733	4,296
Total	188,601	18,820	22,139	229,559

Source: Oil companies

ktoe

Source: Department of Statistics Malaysia and Oil companies







FIGURE 21: FINAL CONSUMPTION FOR PETROLEUM PRODUCTS



Source: Oil Companies

03.

NATURAL GAS



TABLE 6: RESERVES AND PRODUCTION OF NATURAL GAS AS OF 1ST JANUARY 2013

REGION		PRODUCTION		
	TRILLION	STANDARD CUBIC FEET (TSCF)		MILLION STANDARD CUBIC FEET PER DAY
	ASSOCIATED	NON-ASSOCIATED	TOTAL	(MMSCFD)
Peninsular Malaysia	9.325	25.649	34.974	2,069.83
Sabah	3.764	9.454	13.218	426.48
Sarawak	3.330	46.798	50.128	4,234.22
TOTAL	16.419	81.901	98.320	6,730.54

Source: PETRONAS

Notes (*):

Refers to the amount of gas produced/generated from associated fields

1 cubic feet = 0.028317 cubic metre Associated Gas: Natural gas produced in association with oil Non-Associated Gas: Natural gas produced from a gas reservoir not associated with oil

TABLE 7: CONSUMPTION OF NATURAL GAS IN MMSCF

SECTORS	PENINSULAR MALAYSIA	SABAH	SARAWAK	MALAYSIA
Residential	32	-	-	32
Commercial	832	-	-	832
Industry	163,846	5,327	1,889	171,062
Non-energy	97,807	43,596	56,575	197,978
Transport	11,040	-	-	11,040
Power Stations	574,552	31,313	26,989	632,854
Total	848,109	80,236	85,453	1,013,798

Source:

Power utilities, IPPs, PETRONAS and gas distribution companies

2011 2010 25,487 7,013 1,340 2009 23,606 1,166 2008 22,277 1,524 4,565 2005 2006 2007 23,707 22,874 23,777 5,435 1,295 3,313 1,257 Note: Measurement on ktoe is based on Energy Commission calculation 1,340 1,134 2004 22,944 666 1,143 2003 18,965 1,501 1,402 2002 17,803 1,098 Import LNG 2001 16,636 1,178 FIGURE 22: EXPORT AND IMPORT OF PIPED NATURAL GAS AND LNG 1998 1999 2000 16,396 16,429 15,445 16,633 1,198 Export Piped Natural Gas 860 1,444 1997 1,340 15,251 1994 1995 1996 Source: Department of Statistics Malaysia, gas companies and others 1,474 Import Piped Natural Gas 10,790 1,474 8,938 1,589 1993 8,654 1,258 1992 8,262 1991 Export LNG 8,278 1990 8,686 5,000 30,000 25,000 20,000 15,000 10,000 ktoe

2013 27,089

2012 25,547 7,866 1,368

26,856 6/6/9 1,147

1,450 1,497

2011 10,956 1,697 3,967 4,300 272 2010 12,628 1,031 4,310 1,661 247 30 2009 13,390 1,385 1,995 4,544 236 25 2008 13,651 1,030 5,541 2,046 194 3 9 2007 12,476 1,140 5,416 2,112 147 28 Residential 2006 12,330 1,431 2,110 5,301 120 24 2005 12,271 5,317 1,541 923 92 23 2004 Commercial 10,545 4,937 268 1,476 54 9 2003 10,893 1,616 4,207 469 40 8 2002 12,424 1,775 3,824 128 28 Industry 2001 11,922 2,937 1,655 14 10 2000 11,580 2,327 1,512 530 12 Transport 1999 10,162 1,118 1,891 488 1998 8,886 1,282 1,430 FIGURE 23: NATURAL GAS CONSUMPTION BY SECTORS 271 1997 Non-Energy 7,531 1,378 1,074 2 1996 7,489 1,197 870 1995 6,414 1,064 577 Power Stations 1994 5,119 1,163 484 2 1993 4,374 1,141 552 1992 3,144 657 619 Self Generation 1991 2,533 604 487 1990 1,361 609 452 15,000 10,000 5,000 30,000 25,000 20,000 ktoe

2013

2012

13,520 1,650

11,533 1,734

5,276

5,336 292

4,488 289


4,556

22

32

22

Source: PETRONAS, Gas Companies, Power Utilities, IPPs & Self-Generation Plants





04. COAL



TABLE 8: PRODUCTION AND RESERVES OF COAL AS OF 31ST DECEMBER 2013

LOCATION	RESERV	ES (MILLION TO	NNES)	COAL TYPE	PRODUCTION
LOCATION	MEASURED	INDICATED	INFERRED	COALTTIL	(METRIC TONNES)
SARAWAK					
1. Abok & Silantek, Sri Aman	7.25	10.60	32.40	Coking Coal, Semi- Anthracite and Anthracite	776,586
2. Merit-Pila, Kapit	170.26	107.02	107.84	Sub-Bituminous	2,006,765
3. Bintulu	6.00	0.00	14.00	Bituminous (partly coking coal)	
4. Mukah - Balingian	86.95	170.73	646.53	Lignite, Hydrous Lignite and Sub- Bituminous	110,611
5. Tutoh Area	5.58	34.66	162.33	Sub-Bituminous	
SUBTOTAL	276.04	323.01	963.10		2,893,962
SABAH					
1. Salimpopon	4.80	14.09	7.70	Sub-Bituminous	
2. Labuan			8.90	Sub-Bituminous	
3. Maliau			215.00	Bituminous	
4. Malibau		17.90	25.00		
5. SW Malibau		23.23			
6. Pinangan West Middle Block			42.60	Bituminous	
SUBTOTAL	4.80	55.22	299.20		
SELANGOR					
1. Batu Arang			17.00	Sub-Bituminous	
SUBTOTAL	0.00	0.00	17.00		
TOTAL	280.84	378.23	1,279.30		
GRAND TOTAL			1,938.37		2,893,962


Source: Department of Mineral & Geosciences Malaysia

TABLE 9: CONSUMPTION OF COAL IN METRIC TONNES


SECTORS	PENINSULAR MALAYSIA	SABAH	SARAWAK	MALAYSIA
Industry	2,375,573	-	66,043	2,441,617
Power Stations	19,338,378	-	2,119,133	21,457,511
TOTAL	21,713,952	-	2,185,176	23,899,128

Source: Power Utilities, IPPs, cement, iron & steel manufacturers

FIGURE 25: NET IMPORT OF COAL



Note: Measurement on ktoe is based on Energy Commission calculation



05.

ELECTRICITY




TABLE 10: INSTALLED CAPACITY AS OF 31ST DECEMBER 2013 IN MW

		HYDRO	NATURAL GAS	COAL	FUEL OIL	DIESEL	BIOMASS	OTHERS	TOTAL
	TNB	1,911	4,955	-	-	0	-	-	6,866
H 4	IPPs	20	8,069	7,200	-	-	-	-	15,289
PENINSULAR MALAYSIA	Co-Generation	-	806	-	-	3	84	-	893
MIN	Self-Generation	-	31	-	-	577	370	1	979
P	SREP / FiT	9	-	-	-	-	2	67	78
	SUBTOTAL	1,940	13,861	7,200	-	580	455	68	24,105
	SESB	70	112	-	-	394	-	=	575
	IPPs	7	529	-	152	-	40	-	728
AH	Co-Generation	-	42	-	-	48	108	-	197
SABAH	Self-Generation	-	-	-	-	526	123	11	660
	SREP / FiT	7	-	-	=	-	30	-	37
	SUBTOTAL	83	683	-	152	967	300	11	2,196
	SEB	108	588	480	-	163	-	-	1,339
AK	IPPs	1,800	-	-	-	-	-	-	1,800
SARAWAK	Co-Generation	-	289	-	-	-	-	1	290
SAF	Self-Generation	-	-	-	-	9	10	-	19
	SUBTOTAL	1,908	877	480	-	172	10	1	3,447
TOTAL		3,931	15,421	7,680	152	1,719	765	80	29,748

Source: Power Utilities and IPPs

FIGURE 27: SHARE OF INSTALLED CAPACITY AS OF 31ST DECEMBER 2013



Power Utilities, IPPs and Ministry of Public Utilities Sarawak


TABLE 11: AVAILABLE CAPACITY AS OF 31ST DECEMBER 2013 IN MW

		HYDRO	NATURAL GAS	COAL	FUEL OIL	DIESEL	BIOMASS	TOTAL
	TNB	1,899	4,640	-	-	-	-	6,539
PENINSULAR MALAYSIA	IPPs	20	7,492	7,138	564	-	-	15,214
WALATOIA	SUBTOTAL	1,919	12,132	7,138	564	-	-	21,753
	SESB	69	105	-	-	322	-	495
SABAH*	IPPs	7	494	-	143	-	33	677
	SUBTOTAL	75	599	-	143	322	33	1,172
	SEB	91	588	480	-	136	-	1,295
SARAWAK	IPPs	750	-	-	-	-	-	750
	SUBTOTAL	841	588	480	-	136	-	2,045
TOTAL		2,835	13,319	7,618	707	458	33	24,970

Source: Power Utilities and IPPs Note:

(*) Dependable Capacity

FIGURE 28: SHARE OF AVAILABLE CAPACITY AS OF 31 ST DECEMBER 2013



Source: Power Utilities & IPPs

TABLE 12: INSTALLED CAPACITY OF MAJOR HYDRO POWER STATIONS

STATION	INSTALLED CAPACITY (MW)	TOTAL (MW)
PENINSULAR MALAYSIA		
1. TERENGGANU		
- Stesen Janakuasa Sultan Mahmud Kenyir	4 x 100	400.0
2. PERAK		
- Stesen Janakuasa Temenggor	4 x 87	348.0
- Stesen Janakuasa Bersia	3 x 24	72.0
- Stesen Janakuasa Kenering	3 x 40	120.0
- Chenderoh	3 x 10.7 + 1 x 8.4	40.5
- Sg. Piah Hulu	2 x 7.3	14.6
- Sg. Piah Hilir	2 x 27	54.0
3. PAHANG		
- Stesen Janakuasa Sultan Yussuf, Jor	4 x 25	100.
- Stesen Janakuasa Sultan Idris II, Woh	3 x 50	150.
- Cameron Highland Scheme*		11.9
4. KELANTAN		
- Pergau	4 x 150	600.
- Kenerong Upper	2 x 6	12.0
- Kenerong Lower	2 x 4	8.0
SUBTOTAL		1,931.0
SABAH		
- Tenom Pangi	3 x 22.0	66.0
SUBTOTAL		66.0
SARAWAK		
- Batang Ai	4 x 27.0	108.0
- Bakun		1,800.0
SUBTOTAL		1,908.0
TOTAL		3,905.0

Source: TNB, SESB and SEB

Note: (*) Cameron Highland Scheme includes Odak, Habu, Kg. Raja, Kg. Terla and Robinson Falls stations

TABLE 13: INSTALLED CAPACITY OF MINI HYDRO POWER STATIONS

STATION		TOTAL (MW
I. KEDAH		
- Sg Tawar Besar		0.540
- Sg Mempelam		0.39
- Sg Mahang		0.48
2. PERAK		
- Sg Tebing Tinggi		0.178
- Sg Asap		0.11
- Sg Kinjang		0.34
- Sg Bil		0.25
3. PAHANG		
- Sg Sempam G2		0.45
- Sg Pertang		0.49
- Sg Perdak		0.36
4. KELANTAN		
- Sg Renyok G1		0.80
- Sg Renyok G2		0.80
- Sg Sok		0.58
- Sg Rek		0.27
5. TERENGGANU		
- Sg Brang		0.42
	SUBTOTAL	6.50
SABAH		
- Carabau (Ranau)		2.00
- Melangkap (Kota Belud)		1.00
- Sayap (Kota Belud)		1.00
- Bombalai (Tawau)		1.10
- Merotai (Tawau)		1.10
- Kiau (Kota Belud)		0.37
- Naradau (Ranau)		1.76
	SUBTOTAL	8.33
SARAWAK		
- Sg Pasir		0.76
- Penindin		0.35
- Sebako		0.33
- Lundu		0.35
- Kalamuku 1		0.50
- Kalamuku 2		0.50
- Sg Keijin		0.50
- Sg Kota 1		2.00
- Sg Kota 2		2.00
	SUBTOTAL	7.29

Source: TNB, SESB and SEB

TABLE 14: TRANSMISSION NETWORK IN CIRCUIT - KILOMETRES

UTILITY	500 KV	275 KV	132 KV	66 KV
TNB	668	8,534	11,851	-
SESB	-	493	1,200	163
SEB	-	1,188	398	-

Source:

TNB, SESB & SEB

TABLE 15: DISTRIBUTION NETWORK IN CIRCUIT - KILOMETRES

UTILITY	OVERHEAD LINES	UNDERGROUND CABLES
TNB	487,385	555,272
SESB	7,862	729
SEB	22,350	6,969

Source:

TNB, SESB & SEB

TABLE 16: GROSS GENERATION, CONSUMPTION, AVAILABLE CAPACITY, PEAK CONSUMPTION AND **RESERVE MARGIN FOR ELECTRICITY IN MALAYSIA**


REGION	ELECTRICIT GEN	TY GROSS IERATION		ECTRICITY SUMPTION	AVAILABLE CAPACITY**	PEAK DEMAND	RESERVE MARGIN
	GWh	%	GWh	%	MW	MW	%
PENINSULAR MALAYSIA	120,893	84.2	105,861	86.0	21,753	16,562	31.3
SABAH*	7,433	5.2	5,097	4.1	1,172	874	34.1
SARAWAK	15,171	10.6	12,118	9.8	2,045	1,783	14.7
TOTAL	143,497	100.0	123,076	100.0	24,970		

TNB and IPPs, SESB and SEB

^(*) Most diesel units in SESB are aged sets hence they are derated due to thermal limitations. However, during operational state, some generating units are not available due to maintenance outages as well as random breakdowns; the actual operation capacity available to system operation for dispatch was very limited.

^(**) Available Capacity for Peninsular Malaysia was based on Tested Annual Available Capacity (TAAC), Available Capacity for Sabah was based on Dependable Capacity

FIGURE 29: SHARE OF ENERGY INPUT IN POWER STATIONS



Source: Power Utilities & IPPs Note:


Figures exclude fuel consumption for self-generation plants

TABLE 17: ELECTRICITY CONSUMPTION BY SECTORS IN GWh

REGION	INI	DUSTRY	COMM	IERCIAL	RESI	DENTIAL	TRAN	ISPORT	AGRIC	ULTURE	TOTAL
	GWh	%	GWh	%	GWh	%	GWh	%	GWh	%	GWh
PENINSULAR MALAYSIA	46,243	82.7	36,098	89.6	22,904	87.1	241	100.0	375	100.0	105,861
SABAH	1,489	2.7	2,018	5.0	1,590	6.0	-	-	-	-	5,097
SARAWAK	8,155	14.6	2,169	5.4	1,794	6.8	-	-	-	-	12,118
TOTAL	55,886	100.0	40,286	100.0	26,288	100.0	241	100.0	375	100.0	123,076

Source: Power Utilities, IPPs & Self-Generators

FIGURE 30: SHARE OF ELECTRICITY CONSUMPTION BY SECTORS



Source: Power Utilities, IPPs & Self-Generators




TABLE 18: ELECTRICITY GENERATION AND INSTALLED CAPACITY OF RENEWABLE ENERGY BY PUBLIC **LICENSEE BY REGION IN 2013**

REGION	TYPE OF PRIME MOVER	INSTALLED CAPACITY (MW)	UNIT GENERATED (MWh)
	Mini Hydro - FiT	15.70	88,731
	Mini Hydro - IPP	20.00	59,203
	Mini Hydro - Cameron Highlands Scheme	11.90	30,649
DEMINICH AD	Mini Hydro - TNB	9.76	11,634
PENINSULAR MALAYSIA	Solar - Non-FiT	1.30	797
	Solar - FiT	73.30	43,063
	Biogas	8.60	23,321
	Biomass	10.40	19,702
	SUBTOTAL	150.96	277,100
	Mini Hydro-SESB	8.00	22,256
	Mini Hydro - Others	6.50	19,613
SABAH	Biomass	137.50	592,717
	SUBTOTAL	152.00	634,586
	Mini Hydro -SEB	7.30	11,850
SARAWAK	Solar	0.27	301
	SUBTOTAL	7.57	12,151
GRAND TOTAL		310.53	923,836

Source: TNB, SESB, SEB and Ministry of Public Utilities Sarawak

Note: Public Licensee is the licensee that generates electricity for its own use and for supply to others

TABLE 19: ELECTRICITY GENERATION AND INSTALLED CAPACITY OF RENEWABLE ENERGY BY PRIVATE **LICENSEE BY REGION IN 2013**

REGION	TYPE OF PRIME MOVER	INSTALLED CAPACITY (MW)	UNIT GENERATED (MWh)
PENINSULAR	Biomass - Self-Gen	568.80	197,622
MALAYSIA	SUBTOTAL	568.80	197,622
	Biomass - Co-Gen	94.00	306,560
SABAH	Biomass - Self-Gen	145.61	226,300
	SUBTOTAL	239.61	532,860
	Biomass	9.90	53,500
SARAWAK	SUBTOTAL	9.90	53,500
GRAND TOTAL		818.30	783,982

Energy Commission, TNB, SESB, SEB and Ministry of Public Utilities Sarawak

Note: Private Licence is the licensee generates for his own use only

06.

KEY ENERGY STATISTICS



TABLE 20:PRIMARY ENERGY SUPPLY IN KTOE

Hydro power

Natural Gas

TABLE 21: NET IMPORT AND EXPORT OF ENERGY IN KTOE

	NET EXPORT OF CRUDE OIL	NET EXPORT OF LNG	NET EXPORT OF NATURAL GAS	NET EXPORT OF ELECTRICITY	NET IMPORT OF PETROLEUM PRODUCTS	NET IMPORT OF COAL AND COKE
1990	21,902	8,686	-	5	2,618	1,396
1991	22,200	8,278	-	2	3,456	1,341
1992	22,215	8,262	1	2	3,986	1,425
1993	20,063	8,654	1,258	(2)	4,328	1,088
1994	18,160	8,928	1,589	(4)	2,398	1,311
1995	18,518	10,790	1,474	2	150	1,538
1996	16,859	15,251	1,474	1	778	1,923
1997	16,022	16,396	1,340	(1)	2,491	1,437
1998	16,626	16,429	1,444	(1)	2,164	1,522
1999	16,274	15,445	1,177	-	1,196	1,313
2000	10,036	16,633	1,198	-	(1,914)	1,924
2001	9,128	16,636	1,163	=	(2,019)	2,631
2002	11,017	17,803	1,098	3	(936)	3,405
2003	10,826	18,965	(99)	17	(1,856)	5,232
2004	11,292	22,944	144	45	68	7,413
2005	10,963	22,299	(206)	192	(474)	6,568
2006	9,342	22,873	(2,404)	200	(1,798)	7,917
2007	7,509	23,777	(4,140)	195	(1,329)	8,152
2008	6,482	22,277	(3,041)	41	(1,609)	9,519
2009	6,517	23,606	(3,889)	8	(1,177)	9,007
2010	9,365	26,857	(4,183)	(32)	1,930	13,011
2011	2,300	26,856	(5,832)	(31)	2,159	13,189
2012	1,994	25,547	(6,498)	(7)	(1,242)	13,988
2013	1,684	25,639	(5,602)	(16)	7,400	13,583

TABLE 22: CONVERSION IN GAS PLANTS IN KTOE

	INPUT		GAS PLANTS	
	NATURAL GAS	MLNG	GPP - LPG	MDS
1990	9,797	9,797	na	na
1991	8,749	8,749	na	na
1992	8,817	8,425	392	na
1993	9,587	9,019	529	39
1994	10,273	9,087	948	238
1995	13,565	11,244	1,900	421
1996	16,807	15,251	1,212	344
1997	18,043	16,396	1,258	389
1998	18,214	16,688	1,526	na
1999	17,889	16,417	1,472	na
2000	18,877	17,231	1,482	164
2001	18,459	16,636	1,310	513
2002	19,752	17,803	1,504	445
2003	20,198	18,965	790	443
2004	25,440	22,944	1,225	1,271
2005	36,447	32,837	2,043	1,567
2006	35,378	30,996	3,506	876
2007	38,141	33,054	4,288	799
2008	38,193	33,766	3,507	920
2009	37,098	32,497	991	3,610
2010	40,246	29,345	9,844	1,057
2011	40,737	35,815	4,071	851
2012	40,041	32,717	6,234	1,089
2013	39,678	35,474	3,231	973

Note: na means not applicable Middle Distillate Synthesis (MDS) commenced pre-commercialization operation in year 2000 MLNG plant produced LPG in the year 2003

TABLE 23: CONVERSION IN REFINERIES IN KTOE

LOCAL CRUDE OIL CRUDE OIL 1990 1990 7,736 1993 8,199 19,326 1995 15,991 15,991 15,942 1999 16,382 1999 16,382 1999 16,382 1999 16,382 1999 16,382 1999 16,382 1999 17,127	CRUDE OIL & OTHERS 2,244 2,044 1,409 3,195 1,853 969 3,501 3,224 1,347 4,437	9,980 10,243 10,425 11,697 14,179 16,960 19,606	1,406 1,665 1,724 1,816 2,316 2,320 3,134 2,491	DIESEL							TOTAL
	2,244 2,044 1,409 3,195 969 3,501 3,224 1,347 4,437	9,980 10,243 10,425 11,697 14,179 16,960 19,380 17,289	1,406 1,665 1,724 1,816 2,316 2,320 3,134 2,491		FUEL OIL	KEROSENE	ATF & AV GAS	LPG	NON- ENERGY	REFINERY GAS	ООТРОТ
	2,044 1,409 3,195 969 3,501 3,224 1,347 4,437	10,243 10,425 11,697 14,179 16,960 19,380 17,289	1,665 1,724 1,816 2,316 2,320 3,134 2,491	3,496	3,241	512	376	640	585	158	10,414
	3,195 3,195 1,853 969 3,501 3,224 1,347 4,437	10,425 11,697 14,179 16,960 19,606 17,289	1,724 1,816 2,316 2,320 3,134 2,491	3,805	2,633	544	403	292	798	174	10,589
	3,195 1,863 969 3,501 3,224 1,347 4,437	11,697 14,179 16,960 19,380 17,289	1,816 2,316 2,320 3,134 2,491	4,048	2,110	541	412	200	324	143	9,502
	1,853 969 3,501 3,224 1,347 4,437	16,960 19,380 19,606 17,289	2,316 2,320 3,134 2,491	4,249	2,375	929	517	244	009	106	10,483
	3,501 3,224 1,347 4,437 6,743	16,960	2,320 3,134 2,491	5,108	2,887	263	086	319	1,468	162	13,803
	3,501	19,380	3,134 2,491	6,011	2,212	360	1,587	431	3,380	385	16,686
	3,224 1,347 4,437	19,606	2,491	6,174	3,696	292	1,899	371	2,554	331	18,451
	1,347	17,289	0 5 45	6,744	2,716	265	2,000	371	1,783	203	16,573
	4,437		2,040	5,926	3,233	285	1,985	449	2,117	192	16,732
	6.743	19,032	3,056	6,712	2,603	210	2,140	617	2,159	230	17,727
)	22,164	3,893	8,059	2,532	239	2,660	838	2,492	241	20,954
	10,546	23,845	4,623	8,462	2,269	283	2,954	875	3,020	331	22,817
	8,032	22,870	4,460	8,401	2,332	414	2,570	897	2,127	294	21,495
	8,322	25,449	4,584	9,062	1,763	683	2,367	932	2,623	262	22,576
16,810	8,764	25,574	4,724	9,611	1,813	591	2,693	897	2,455	215	22,999
18,216	6,271	24,487	4,245	9,161	1,777	521	2,553	822	2,157	202	21,438
16,797	8,113	24,910	4,607	8,752	1,933	537	2,938	1,118	2,750	849	23,484
2007 17,320	9,251	26,571	5,285	6,033	1,990	234	3,138	1,228	3,461	938	25,307
18,638	8,138	26,776	2,066	9,364	1,994	245	3,139	1,208	4,475	166	26,482
2009 20,685	5,812	26,497	4,052	9,415	1,144	565	3,085	732	5,905	195	25,093
2010 14,003	8,706	22,709	3,873	8,369	327	483	2,891	269	4,357	209	21,206
14,874	9,904	24,777	3,599	8,925	571	419	3,457	999	4,572	1,659	23,867
2012 17,213	10,347	27,560	4,617	10,033	1,608	654	3,918	702	4,318	197	26,047
2013 17,365	9,289	26,654	4,702	11,063	1,286	387	2,750	1,252	3,089	195	24,727

TABLE 24: CONVERSION IN POWER STATIONS (EXCLUDE CO-GENERATION & PRIVATE LICENSED PLANTS) IN KTOE

			E	INPUT:				ANNUAL		INP	INPUT SHARE (%)		OUTPUT:
	FUEL	DIESEL	NATURAL GAS	HYDRO POWER*	COAL	RENEWABLES	TOTAL	GROWTH RATE (%)					TOTAL ELECTRICITY GENERATED
1990	2,873	116	1,361	915	813	,	6,078	21.2		49.2	22.4	15.1 13.4	1,979
1991	2,687	164	2,533	1,053	896	ı	7,400	21.8		38.5	34.2	14.2 13.0	2,283
1992	2,352	160	3,144	266	896	1	7,621	3.0		33.0	41.3	13.1 12.7	2,521
1993	2,388	87	4,374	1,262	884	1	8,995	18.0		27.5	48.6	14.0 9.8	2,987
1994	1,957	249	5,119	1,652	928	ı	9,902	10.1	22	22.3	51.7	16.7 9.3	3,362
1995	2,073	265	6,414	1,540	957	1	11,249	13.6	20.8	Θ	57.0	13.7 8.5	3,909
1996	2,354	284	7,489	1,243	950	1	12,320	9.5	21.4	4.	8.09	10.1 7.7	4,421
1997	2,482	185	7,531	790	882	1	11,870	(3.7)	22	22.5	63.4	6.7 7.4	4,977
1998	2,130	275	988'8	1,113	964	ı	13,368	12.6	18.0		66.5	8.3 7.2	5,013
1999	950	172	10,162	1,668	1,332	1	14,284	6.9	7.9	7	71.1	11.7 9.3	5,409
2000	592	191	11,580	1,612	1,495	1	15,470	8.3	5.1	7	74.9	10.4 9.7	5,731
2001	730	278	11,922	1,687	1,994	ı	16,611	7.4	6.1	7	71.8	10.2 12.0	5,940
2002	1,363	476	12,424	1,329	2,556	1	18,148	6.6	10.1		68.5	7.3 14.1	6,191
2003	289	340	10,893	1,056	4,104	ı	16,682	(8.1)	3.8	65.3		6.3 24.6	6,568
2004	274	272	10,545	1,329	5,327	ı	17,747	6.4	3.1	59.4	7.5	30.0	6,716
2005	275	298	12,271	1,313	5,541	ı	19,698	11.0	2.9	62.3	9	6.7 28.1	902'9
2006	171	617	12,524	1,567	5,964	1	20,843	5.8	3.8	1.09	7.5	5 28.6 -	7,240
2007	199	314	12,549	1,522	7,486	1	22,070	5.9	2.3	56.9	6.9	33.9	8,385
2008	181	299	13,651	1,964	8,069	1	24,164	9.6	2.0	56.5	8.1	33.4	8,422
2009	205	384	13,390	1,627	9,010	1	24,616	1.9	2.4	54.4	9.9	36.6	8,531
2010	125	415	12,628	1,577	12,951	1	27,696	12.5	1.9	45.6	5.7	46.8	9,404
2011	1,103	186	10,977	1,850	13,013	ı	27,924	0.8	7.5	39.3	9.9	46.6	10,193
2012	250	811	11,533	2,149	14,138	71	29,252	4.8	4.7	39.4	7.3	48.3	11,032
2013	392	623	13,520	2,688	13,527	208	30,959	5.8	3.3	43.7	8.7	43.7	11,630
Note: (*) Figures c	alculated from	average efficie	ency of therma	Note: (*) Figures calculated from average efficiency of thermal stations of respective year	sective year				Fuel & Diesel Oil	Oil Natural Gas Hydro power*		Coal & Coke	SS

Note: (*) Figures calculated from average efficiency of thermal stations of respective year

TABLE 25: FINAL ENERGY CONSUMPTION BY SECTORS IN KTOE

	INDUSTRY	TRANSPORT	RESIDENTIAL AND COMMERCIAL	NON-ENERGY USE	AGRICULTURE	TOTAL	ANNUAL GROWTH RATE	INDUSTRY INCLUDING AGRICULTURE & NON-ENERGY	INDUSTRY GDP*	INDUSTRY ENERGY INTENSITY (TOE/RM MILLION AT 2005 PRICES)
1990	2,300	5,386	1,622	838	1	13,146	11.0	6,138	124,168	49
1991	5,835	908'9	1,721	1,071	130	14,563	10.8	7,036	134,346	52
1992	6,455	6,226	1,891	1,222	391	16,185	1.1.	8,068	143,502	99
1993	7,012	6,558	2,069	2,027	62	17,728	9.5	9,101	152,503	09
1994	7,283	7,262	2,502	7,817	422	19,286	80.	9,522	163,886	28
1995	8,060	7,827	2,837	1,994	446	21,164	7.6	10,500	181,278	28
1996	828'6	8,951	3,162	1,744	486	24,181	14.3	12,068	204,301	69
1997	10,106	10,201	3,073	2,298	490	26,168	8.2	12,894	218,870	69
1998	10,121	6,793	3,314	2,023	307	25,558	(2.3)	12,451	195,779	64
1999	10,277	11,393	3,653	1,799	106	27,228	6.5	12,182	210,345	58
2000	11,406	12,071	3,868	2,250	104	29,699	9.1	13,760	235,479	28
2001	11,852	13,137	4,048	2,378	86	31,513	6.1	14,328	229,439	62
2002	12,854	13,442	4,387	2,511	96	33,290	5.6	15,461	238,235	99
2003	13,472	14,271	4,399	2,345	86	34,585	3.9	15,915	256,074	62
2004	14,914	15,385	4,754	2,183	87	37,323	7.9	17,184	273,885	63
2005	15,492	15,384	5,134	2,173	101	38,284	2.6	17,766	282,884	63
2006	15,248	14,819	5,430	2,819	253	38,569	7.0	18,320	295,711	62
2007	16,454	15,717	6,212	2,958	265	41,606	7.9	19,677	304,216	99
2008	16,205	16,395	6,205	2,876	287	41,968	6:0	19,368	306,331	63
2009	14,312	16,119	988'9	3,868	211	40,846	(2.7)	18,391	287,869	64
2010	12,928	16,828	6,951	3,696	1,074	41,477		17,698	309,165	24
2011	12,100	17,070	6,993	6,377	916	43,456	4.8	19,393	317,558	61
2012	13,919	19,757	7,065	7,497	1,053	49,291	13.4	22,469	331,594	89
2013	13,496	22,357	7,403	7,277	1,051	51,583	4.7	21,824	342,566	64

Note: (*) Defined as total GDP for Agriculture, Forestry and Fishing, Mining and Quarrying, Manufacturing and Construction

TABLE 26: FINAL ENERGY CONSUMPTION BY TYPE OF FUELS IN KTOE

	PETROLEUM PRODUCTS AND OTHERS	ELECTRICITY	GAS FOR NON- ENERGY USE	GAS FOR ENERGY USE	NATURAL GAS	COAL AND COKE	TOTAL	TOTAL (EXCL. NON-ENERGY USE)	ANNUAL GROWTH RATE (%)
1990	9,825	1,715	609	460	1,069	513	13,122	12,513	8.2
1991	10,914	1,925	604	495	1,099	599	14,537	13,933	11.3
1992	11,927	2,218	299	289	1,344	672	16,161	15,504	11.3
1993	13,075	2,450	1,141	260	1,701	487	17,713	16,572	6.9
1994	13,894	2,932	1,163	497	1,660	598	19,084	17,921	8.1
1995	16,142	3,375	1,064	290	1,654	712	21,883	20,819	16.2
1996	17,203	3,777	870	1,209	2,079	727	23,786	22,916	10.1
1997	18,578	4,384	1,378	1,087	2,465	740	26,167	24,789	8.2
1998	17,488	4,577	1,282	1,444	2,726	191	25,558	24,276	(2.1)
1999	18,782	4,815	1,118	1,905	3,023	809	27,228	26,110	9.7
2000	19,582	5,263	1,512	2,350	3,862	166	29,698	28,186	8.0
2001	20,323	5,594	1,655	2,965	4,620	226	31,514	29,859	5.9
2002	20,638	5,922	1,775	3,867	5,642	1,086	33,288	31,513	5.5
2003	21,175	6,313	1,616	4,270	5,886	1,212	34,586	32,970	4.6
2004	22,886	6,642	1,476	5,014	6,490	1,305	37,323	35,847	8.7
2002	23,012	6,944	1,541	5,440	6,981	1,348	38,285	36,744	2.5
2006	22,398	7,272	2,120	5,442	7,562	1,335	38,567	36,447	(0.8)
2007	24,852	7,683	2,112	2,597	602'2	1,361	41,605	39,493	8.4
2008	24,451	7,986	2,046	5,772	7,818	1,713	41,968	39,922	17
2009	24,145	8,286	1,995	4,807	6,802	1,613	40,846	38,851	(2.7)
2010	24,403	8,993	1,661	4,593	6,254	1,826	41,476	39,815	2.5
2011	23,946	9,236	3,906	4,609	8,515	1,759	43,456	39,550	(0.7)
2012	27,329	10,011	5,336	4,870	10,206	1,744	49,290	43,954	11.1
2013	29,379	10,590	5,276	4,800	10,076	1,539	51,583	46,308	5.4

TABLE 27: FINAL CONSUMPTION FOR PETROLEUM PRODUCTS IN KTOE

	DIESEL	PETROL	FUEL OIL	LPG	KEROSENE	ATF & AV GAS	NON-ENERGY & OTHERS	TOTAL
1990	4,421	2,901	883	548	203	628	239	9,823
1991	4,873	3,135	945	612	180	069	479	10,914
1992	5,291	3,326	1,088	733	160	764	565	11,927
1993	5,339	3,666	1,293	1,119	149	875	635	13,076
1994	5,643	4,139	1,392	926	152	978	664	13,894
1995	5,810	4,548	1,506	2,215	177	1,160	726	16,142
1996	6,735	5,205	1,770	1,215	197	1,335	746	17,203
1997	7,314	5,586	1,978	1,245	169	1,439	847	18,578
1998	6,252	5,854	1,678	1,301	165	1,619	619	17,488
1999	6,506	6,793	1,792	1,523	162	1,424	582	18,782
2000	7,627	6,387	1,875	1,362	131	1,574	625	19,581
2001	6,827	8,116	1,497	1,392	66	1,762	089	20,323
2002	8,042	6,948	1,589	1,542	92	1,785	689	20,637
2003	7,360	8,539	1,256	1,437	693	1,852	629	21,176
2004	9,262	7,839	1,463	1,542	98	2,056	289	22,885
2005	8,672	8,211	1,953	1,510	18	2,010	574	23,011
2006	8,540	7,517	1,901	1,520	79	2,152	684	22,393
2007	9,512	8,600	2,202	1,474	92	2,155	832	24,851
2008	9,167	8,842	1,963	1,475	75	2,112	818	24,452
2009	8,634	8,766	1,291	2,506	30	2,120	799	24,146
2010	8,388	092'6	478	2,920	19	2,380	657	24,402
2011	8,712	8,155	414	2,892	19	2,553	1,178	23,923
2012	9,410	10,843	768	2,892	38	2,521	743	27,215
2013	9,568	12,656	329	2,946	31	2,998	662	29,191

TABLE 28: SELECTED ENERGY AND ECONOMIC INDICATORS (1990-2013)

								AVERAGE ANN	IUAL GROW	TH (%)
	GDP AT CURRENT PRICES (RM MILLION)*	GDP AT 2005 PRICES (RM MILLION)*	POPULATION ('000 PEOPLE)*	PRIMARY ENERGY SUPPLY (KTOE)	FINAL ENERGY CONSUMPTION (KTOE)	ELECTRICITY CONSUMPTION (KTOE)	ELECTRICITY CONSUMPTION (GWh)	GDP AT 2005 PRICES	PRIMARY ENERGY SUPPLY	FINAL ENERGY CONSUMPTION
1990	128,658	217,047	18,102	21,471	13,146	1,715	19,932	9.00	8.90	8.70
1991	145,991	237,766	18,986	26,335	14,563	1,925	22,373	9.55	22.65	10.78
1992	162,800	258,891	18,985	29,291	16,185	2,218	25,778	8.89	11.22	11.14
1993	186,042	284,509	19,503	29,925	17,728	2,450	28,474	9.89	2.16	9.53
1994	211,181	310,718	20,049	31,662	19,287	2,932	34,076	9.21	5.80	8.79
1995	240,365	341,258	20,624	33,879	22,164	3,375	39,225	9.83	7.00	14.92
1996	274,138	375,393	21,101	37,840	24,181	3,777	43,897	10.00	11.69	9.10
1997	304,458	402,882	21,595	43,173	26,167	42,058	50,952	7.32	14.09	8.21
1998	306,022	373,233	22,107	40,996	25,558	4,577	53,195	(7.36)	(5.04)	(2.33)
1999	324,952	396,140	22,636	44,534	27,228	4,815	55,961	6.14	8.63	6.53
2000	370,817	431,234	23,495	50,710	29,699	5,263	61,168	8.86	13.87	9.08
2001	366,841	433,466	24,123	51,979	31,515	5,594	65,015	0.52	2.50	6.11
2002	398,714	456,834	24,727	53,196	33,289	5,922	68,827	5.39	2.34	5.63
2003	435,708	483,278	25,320	57,565	34,586	6,313	73,371	5.79	8.21	3.90
2004	493,223	516,061	25,905	62,836	37,323	6,642	77,195	6.78	9.16	7.91
2005	543,578	543,578	26,477	66,211	38,285	6,944	80,705	5.33	5.37	2.58
2006	596,784	573,936	26,832	67,021	38,567	7,272	84,517	5.58	1.22	0.74
2007	665,340	610,087	27,186	72,389	41,606	7,683	89,294	6.30	8.01	7.88
2008	769,949	639,565	27,541	76,032	41,968	7,986	92,815	4.83	5.03	0.87
2009	712,857	629,885	27,895	74,583	40,845	8,286	96,302	(1.51)	(1.91)	(2.68)
2010	797,327	676,653	28,251	76,809	41,476	8,993	104,519	7.42	2.98	1.54
2011	885,339	711,760	28,964	79,289	43,455	9,235	107,331	5.19	3.23	4.77
2012	941,949	751,934	29,337	86,495	49,291	10,011	116,350	5.64	9.09	13.43
2013	986,733	787,611	29,948	90,730	51,583	10,590	123,076	4.74	4.90	4.65

Source: (*) GDP and Population data from Department of Statistics, Malaysia

		PER C	APITA			ENERGY II	NTENSITY		ENERGY EL	ASTICITY
ELECTRICITY CONSUMPTION	GDP AT CURRENT PRICES (RM)	PRIMARY ENERGY SUPPLY (TOE)	FINAL ENERGY CONSUMPTION (TOE)	ELECTRICITY CONSUMPTION (kWh)	PRIMARY ENERGY SUPPLY (TOE/ GDP AT 2005 PRICES (RM MILLION))	FINAL ENERGY CONSUMPTION (TOE GDP AT 2005 PRICES (RM MILLION))	ELECTRICITY CONSUMPTION (TOE/GDP AT 2005 PRICES (RM MILLION))	ELECTRICITY CONSUMPTION (GWH/GDP AT 2005 PRICES (RM MILLION))	FINAL ENERGY	ELECTRICITY
9.70	7,107	1.19	0.73	1,101	98.92	60.57	7.90	0.092	0.97	1.08
12.24	7,689	1.39	0.77	1,178	110.76	61.25	8.10	0.094	1.13	1.28
15.22	8,575	1.54	0.85	1,358	113.14	62.52	8.57	0.100	1.25	1.71
10.46	9,539	1.53	0.91	1,460	105.18	62.31	8.61	0.100	0.96	1.06
19.67	10,533	1.58	0.96	1,700	101.90	62.07	9.44	0.110	0.95	2.14
15.11	11,655	1.64	1.07	1,902	99.28	64.95	9.89	0.115	1.52	1.54
11.91	12,992	1.79	1.15	2,080	100.80	64.42	10.06	0.117	0.91	1.19
16.07	14,099	2.00	1.21	2,359	107.16	64.95	10.88	0.126	1.12	2.19
4.40	13,843	1.85	1.16	2,406	109.84	68.48	12.26	0.143	0.32	(0.60)
5.20	14,356	1.97	1.20	2,472	112.42	68.73	12.15	0.141	1.06	0.85
9.30	15,783	2.16	1.26	2,603	117.59	68.87	12.20	0.142	1.02	1.05
6.29	15,207	2.15	1.31	2,695	119.91	72.70	12.91	0.150	11.81	12.15
5.86	16,125	2.15	1.35	2,783	116.44	72.87	12.96	0.151	1.04	1.09
6.60	17,208	2.27	1.37	2,898	119.11	71.57	13.06	0.152	0.67	1.14
5.21	19,040	2.43	1.44	2,980	121.76	72.32	12.87	0.150	1.17	0.77
4.55	20,530	2.50	1.45	3,048	121.81	70.43	12.77	0.148	0.48	0.85
4.72	22,242	2.50	1.44	3,150	116.77	67.20	12.67	0.147	0.13	0.85
5.65	24,474	2.66	1.53	3,285	118.65	68.20	12.59	0.146	1.25	0.90
3.94	27,956	2.76	1.52	3,370	118.88	65.62	12.49	0.145	0.18	0.82
3.76	25,555	2.67	1.46	3,452	118.41	64.85	13.15	0.153	1.77	(2.48)
8.53	28,223	2.72	1.47	3,700	113.51	61.30	13.29	0.154	0.21	1.15
2.69	30,567	2.74	1.50	3,706	111.40	61.05	12.97	0.151	0.92	0.52
8.40	32,108	2.95	1.68	3,966	115.03	65.55	13.31	0.155	2.38	1.49
5.78	32,948	3.03	1.72	4,110	115.20	65.49	13.45	0.156	0.98	1.22

Note: GDP at 2005 Prices (RM Million) for 1990 until 2004 was calculated by Energy Commission

TABLE 29: ENERGY BALANCE TABLE IN 2013 (KILO TONNES OF OIL EQUIVALENT)

	MATURAL		CRUDE	OTHER	TOTAL	PETROLEUM	PRODUCTS		
ENERGY SOURCE	NATURAL GAS	LNG	OIL (1/)	OTHERS (2/)	PETROLEUM PRODUCTS	PETROL	DIESEL	FUEL OIL	LPG
PRIMARY SUPPLY									
1. Primary Production	64,406	0	28,576	0	0	0	0	0	0
2. Gas Flaring, Reinjection & Use	-4,395	0	0	0	0	0	0	0	0
3. Imports	7,098	1,450	9,101	8	19,383	8,811	5,106	2,955	422
. Exports	-1,497	-27,089	-10,785	-38	-11,983	-86	-5,318	-3,039	-340
i. Bunkers	0	0	0	0	-349	0	-2	-346	0
i. Stock Change	0	0	527	0	-1,717	-735	-850	-171	223
'. Statistical Discrepancy	0	0	-264	0	0	0	0	0	0
3. Primary Supply	65,612	-25,639	27,154	-30	5,334	7,990	-1,064	-601	304
TRANSFORMATION									
. Gas Plants									
9.1 MLNG	-35,474	28,037	0	0	172	0	0	0	172
9.2 MDS	-973	0	0	0	478	0	133	0	0
9.3 GPP-LPG (3&4/)	-3,231	0	0	0	1,174	0	0	0	1,174
Subtotal	-39,678	28,037	0	0	1,824	0	133	0	1,346
10. Refineries	0	0	-26,654	30	24,727	4,702	11,063	1,286	1,252
11. Power Stations & Self-Generation									
11.1 Hydro Stations	0	0	0	0	0	0	0	0	0
11.2 Thermal Stations	-13,520	-1,450	0	0	-1,016	0	-623	-392	0
11.3 Self-Generation (5/)	-1,650	0	0	0	-23	0	-23	0	0
Subtotal	-15,170	-1,450	0	0	-1,038	0	-646	-392	0
12. Losses & Own Use	-688	-947	-500	0	-1,617	0	0	-17	0
13. Statistical Discrepancy	-1	-0	0	0	-40	-36	82	52	44
4. Secondary Supply	-55,536	25,639	-27,154	30	23,857	4,666	10,633	930	2,643
FINAL USE CONSUMPTION									
5. Residential	1	0	0	0	736	0	0	0	735
6. Commercial	22	0	0	0	916	0	217	5	693
7. Industrial	4,488	0	0	0	2,660	273	1,921	258	179
8. Transport	289	0	0	0	21,858	12,288	6,513	60	0
9. Agriculture	0	0	0	0	6	0	0	6	0
0. Fishery	0	0	0	0	1,013	95	918	0	0
1. Non-Energy Use	5,276	0	0	0	2,001	0	0	0	1,339
2. Total Final Use	10,076	0	0	0	29,191	12,656	9,568	329	2,946
							Е	LECTRICITY	OUTPUT
lain Activity Producer									
Gross Electricity Generation - GWh	63,321	0	0	0	5,255	0	2,783	2,472	0
Autoproducer									
Gross Electricity Generation - GWh	4,440	0	0	0	84	0	84	0	0

Crude production includes Condensates comprising Pentane and Heavier Hydrocarbons.
 Others Refer to Non-Crude Energy Forms (consist of Imported Light Diesel, Slop Reprocess, Crude Residuum & Middle East Residue) Which are Used as Refinary Intake.
 GPP-LPG Extracts Liquid Products i.e Condensates, Ethane, Butane, Propane from Natural Gas, Ethane is Not included under LPG production.
 Butane and Propane as MTBE Feedstocks are Presented as Non-Energy use under LPG column. Ethane is Presented under Natural Gas Column.
 Estimated figures based from the Energy Commission, Statistics of Electricity Supply Industry in Malaysia 2013.

KEROSENE	ATF & AV GAS	NON- ENERGY	REFINERY GAS	COAL & COKE	HYDRO POWER	SOLAR	BIOMASS	BIOGAS	BIODIESEL	ELECTRICITY	TOTAL
0	0	0	0	1,824	2,688	38	297	6	480	0	98,314
0	0	0	0	0	0	0	0	0	0	0	-4,395
289	858	942	0	13,909	0	0	0	0	0	19	50,968
-538	-572	-2,090	0	-326	0	0	0	0	-178	-2	-51,899
0	0	-0	0	0	0	0	0	0	0	0	-349
-6	-20	-159	0	-107	0	0	0	0	-114	0	-1,411
0	0	0	0	-234	0	0	0	0	0	0	-498
-254	267	-1,307	0	15,067	2,688	38	297	6	188	16	90,730
0	0	0	0	0	0	0	0	0	0	0	-7,265
50	0	295	0	0	0	0	0	0	0	0	-494
0	0	0	0	0	0	0	0	0	0	0	-2,057
50	0	295	0	0	0	0	0	0	0	0	-9,817
387	2,750	3,089	195	0	0	0	0	0	0	0	-1,897
0	0	0	0	0	-2,688	0	0	0	0	1,003	-1,685
0	0	0	0	-13,527	0	-38	-164	-6	0	10,627	-19,095
0	0	0	0	0	0	0	-133	0	0	424	-1,381
0	0	0	0	-13,527	-2,688	-38	-297	-6	0	12,054	-22,160
0	0	-1,405	-195	0	0	0	0	0	0	-978	-4,730
-153	-19	-11	0	0	0	0	-0	-0	0	-502	-542
285	2,731	1,969	0	-13,527	-2,688	-38	-297	-7	0	10,573	-39,148
1	0	0	0	0	0	0	0	0	0	2,262	2,999
0	0	0	0	0	0	0	0	0	0	3,466	4,404
29	0	0	0	1,539	0	0	0	0	0	4,809	13,496
0	2,998	0	0	0	0	0	0	0	188	21	22,357
0	0	0	0	0	0	0	0	0	0	32	38
0	0	0	0	0	0	0	0	0	0	0	1,013
0	0	662	0	0	0	0	0	0	0	0	7,277
31	2,998	662	0	1,539	0	0	0	0	188	10,590	51,583
0	0	0	0	53,372	10,586	141	612	23	0	0	133,311
0	0	0	0	0	0	0	496	0	0	0	5,020

TABLE 30: ENERGY BALANCE TABLE IN FIRST QUARTER (Q1) OF 2013 (KILOTONNES OF OIL EQUIVALENT)

			CRUDE		TOTAL	PETROLEUM	PRODUCTS	3	
ENERGY SOURCE	NATURAL GAS	LNG	OIL (1/)	OTHERS (2/)	PETROLEUM PRODUCTS	PETROL	DIESEL	FUEL OIL	LPG
PRIMARY SUPPLY									
1. Primary Production	16,518	0	7,439	0	0	0	0	0	(
2. Gas Flaring, Reinjection & Use	-1,147	0	0	0	0	0	0	0	(
3. Imports	2,028	0	2,549	8	4,460	2,413	1,299	6	102
4. Exports	-502	-7,073	-3,260	-7	-2,786	0	-1,689	-16	-94
5. Bunkers	0	0	0	0	-159	0	-1	-158	(
5. Stock Change	0	0	-141	0	-174	-247	167	-91	2
7. Statistical Discrepancy	0	0	-203	0	0	0	0	0	C
B. Primary Supply	16,897	-7,073	6,384	1	1,341	2,165	-224	-259	12
TRANSFORMATION									
9. Gas Plants									
9.1 MLNG	-9,388	7,146	0	0	34	0	0	0	34
9.2 MDS	-262	0	0	0	112	0	33	0	(
9.3 GPP-LPG (3&4/)	-1,033	0	0	0	313	0	0	0	313
Subtotal	-10,683	7,146	0	0	459	0	33	0	347
10. Refineries	0	0	-6,259	-1	5,983	1,235	2,485	448	370
11. Power Stations & Self-Generation									
11.1 Hydro Stations	0	0	0	0	0	0	0	0	C
11.2 Thermal Stations	-2,927	0	0	0	-270	0	-148	-123	(
11.3 Self-Generation (5/)	-419	0	0	0	-6	0	-6	0	C
Subtotal	-3,346	0	0	0	-276	0	-153	-123	0
12. Losses & Own Use	-181	-72	-126	0	-312	0	0	-4	C
13. Statistical Discrepancy	-0	-0	0	0	-148	-164	81	-55	19
14. Secondary Supply	-14,212	7,073	-6,384	-1	5,706	1,070	2,446	267	737
FINAL USE CONSUMPTION	,	•	•		,	•	•		
15. Residential	0	0	0	0	184	0	0	0	184
16. Commercial	5	0	0	0	213	0	24	0	189
17. Industrial	1,165	0	0	0	580	103	446	7	16
18. Transport	73	0	0	0	5,335	3,112	1,533	0	(
19. Agriculture	0	0	0	0	0	0	0	0	(
20. Fishing	0	0	0	0	240	20	219	0	(
21. Non-Energy Use	1,442	0	0	0	495	0	0	0	360
22. Total Final Consumption	2,685	0	0	0	7,047	3,236	2,222	7	749
								LECTRICITY (UTPU
Main Activity Producer									
Gross Electricity Generation - GWh	14,682	0	0	0	1,161	0	592	569	C
Autoproducer									
Gross Electricity Generation - GWh	1,122	0	0	0	21	0	21	0	(

Crude production includes Condensates comprising Pentane and Heavier Hydrocarbons.
 Others Refer to Non-Crude Energy Forms (consist of Imported Light Diesel, Slop Reprocess, Crude Residuum & Middle East Residue) Which are Used as Refinary Intake.
 GPP-LPG Extracts Liquid Products i.e Condensates, Ethane, Butane, Propane from Natural Gas, Ethane is Not included under LPG production.
 Butane and Propane as MTBE Feedstocks are Presented as Non-Energy use under LPG column. Ethane is Presented under Natural Gas Column.
 Estimated figures based from the Energy Commission, Statistics of Electricity Supply Industry in Malaysia 2013.

KEROSENE	ATF & AV GAS	NON- ENERGY	REFINERY GAS	COAL & COKE	HYDRO POWER	SOLAR	BIOMASS	BIOGAS	BIODIESEL	ELECTRICITY	TOTAL
0	0	0	0	450	572	9	94	1	90	0	25,174
0	0	0	0	430	0	0	0	0	0	0	-1,147
145	220	276	0	3,395	0	0	0	0	0	0	12,440
-176	-128	-683	0	-71	0	0	0	0	-32	-0	-13,731
0	0	-0	0	0	0	0	0	0	0	0	-159
-8	35	-33	0	235	0	0	0	0	-23	0	-102
0	0	0	0	-96	0	0	0	0	0	0	-299
-39	126	-440	0	3,914	572	9	94	1	36	-0	22,176
0	0	0	0	0	0	0	0	0	0	0	-2,208
12	0	67	0	0	0	0	0	0	0	0	-150
0	0	0	0	0	0	0	0	0	0	0	-720
12	0	67	0	0	0	0	0	0	0	0	-3,079
103	532	760	49	0	0	0	0	0	0	0	-277
0	0	0	0	0	-572	0	0	0	0	213	-359
0	0	0	0	-3,559	0	-9	-41	-2	0	2,556	-4,253
0	0	0	0	0	0	0	-53	0	0	107	-370
0	0	0	0	-3,559	-572	-9	-94	-2	0	2,876	-4,982
0	0	-258	-49	0	0	0	0	0	0	-215	-906
-69	33	7	0	0	0	0	0	0	0	-129	-277
46	565	575	0	-3,559	-572	-9	-94	-2	0	2,533	-9,522
0	0	0	0	0	0	0	0	0	0	546	730
0	0	0	0	0	0	0	0	0	0	831	1,050
7	0	0	0	355	0	0	0	0	0	1,143	3,243
0	691	0	0	0	0	0	0	0	36	5	5,449
0	0	0	0	0	0	0	0	0	0	7	7 240
0	0	135	0	0	0	0	0	0	0	0	1,936
7	691	135	0	355	0	0	0	0	36	2,532	12,655
										2,002	.2,000
0	0	0	0	13,896	2,488	35	153	6	0	0	32,422
0	0	0	0	0	0	0	196	0	0	0	1,338

TABLE 31: ENERGY BALANCE TABLE IN SECOND QUARTER (Q2) OF 2013 (KILOTONNES OF OIL EQUIVALENT)

	MATUDAL		CRUDE	OTHERO	TOTAL	PETROLEUM	PRODUCTS	3	
ENERGY SOURCE	NATURAL GAS	LNG	OIL (1/)	OTHERS (2/)	PETROLEUM PRODUCTS	PETROL	DIESEL	FUEL OIL	LPG
PRIMARY SUPPLY									
1. Primary Production	15,845	0	7,100	0	0	0	0	0	0
2. Gas Flaring, Reinjection & Use	-1,188	0	0	0	0	0	0	0	0
3. Imports	1,865	197	2,673	0	4,295	1,980	782	1,286	88
4. Exports	-371	-6,147	-3,987	-9	-1,842	0	-265	-799	-147
5. Bunkers	0	0	0	0	-161	0	-1	-160	0
5. Stock Change	0	0	1,034	0	-707	188	-809	-99	91
7. Statistical Discrepancy	0	0	187	0	0	0	0	0	C
3. Primary Supply	16,150	-5,951	7,007	-9	1,585	2,167	-293	228	32
TRANSFORMATION									
9. Gas Plants									
9.1 MLNG	-8,610	6,494	0	0	29	0	0	0	29
9.2 MDS	-289	0	0	0	130	0	36	0	(
9.3 GPP-LPG (3&4/)	-622	0	0	0	254	0	0	0	254
Subtotal	-9,520	6,494	0	0	412	0	36	0	283
10. Refineries	0	0	-6,858	9	6,164	999	3,034	85	421
11. Power Stations & Self-Generation									
11.1 Hydro Stations	0	0	0	0	0	0	0	0	C
11.2 Thermal Stations	-3,391	-197	0	0	-414	0	-247	-167	C
11.3 Self-Generation (5/)	-430	0	0	0	-6	0	-6	0	C
Subtotal	-3,820	-197	0	0	-420	0	-253	-167	0
12. Losses & Own Use	-177	-347	-149	0	-419	0	0	-4	C
13. Statistical Discrepancy	-0	0	0	0	157	-7	38	-42	4
14. Secondary Supply	-13,518	5,951	-7,007	9	5,895	992	2,855	-128	707
FINAL USE CONSUMPTION									
15. Residential	0	0	0	0	179	0	0	0	179
16. Commercial	5	0	0	0	226	0	65	5	156
17. Industrial	1,129	0	0	0	651	62	446	69	58
18. Transport	74	0	0	0	5,646	3,073	1,818	24	C
19. Agriculture	0	0	0	0	2	0	0	2	0
20. Fishing	0	0	0	0	257	24	233	0	C
21. Non-Energy Use	1,425	0	0	0	519	0	0	0	345
22. Total Final Consumption	2,633	0	0	0	7,480	3,159	2,562	100	739
				ı	ı		E	LECTRICITY	OUTPUT
Main Activity Producer									
Gross Electricity Generation - GWh	15,985	0	0	0	1,784	0	985	799	0
Autoproducer									
Gross Electricity Generation - GWh	1,072	0	0	0	24	0	24	0	О

Crude production includes Condensates comprising Pentane and Heavier Hydrocarbons.
 Others Refer to Non-Crude Energy Forms (consist of Imported Light Diesel, Slop Reprocess, Crude Residuum & Middle East Residue) Which are Used as Refinary Intake.
 GPP-LPG Extracts Liquid Products i.e Condensates, Ethane, Butane, Propane from Natural Gas, Ethane is Not included under LPG production.
 Butane and Propane as MTBE Feedstocks are Presented as Non-Energy use under LPG column. Ethane is Presented under Natural Gas Column.
 Estimated figures based from the Energy Commission, Statistics of Electricity Supply Industry in Malaysia 2013.

KEROSENE	ATF & AV GAS	NON- ENERGY	REFINERY GAS	COAL & COKE	HYDRO POWER	SOLAR	BIOMASS	BIOGAS	BIODIESEL	ELECTRICITY	TOTAL
0	0	0	0	475	683	9	67	2	124	0	24,305
0	0	0	0	0	0	0	0	0	0	0	-1,188
0	52	107	0	3,835	0	0	0	0	0	19	12,883
-176	-73	-383	0	-112	0	0	0	0	-50	-0	-12,518
0	0 -71	-0 -8	0	0 -236	0	0	0	0	0 -34	0	-161 57
0	-/1	0	0	-236 -89	0	0	0	0	-34	0	97
- 175	- 92	-283	0	3,872	683	9	67	2	41	19	23,475
-113	-92	-203	U	3,012	003	9	01	2	41	19	25,415
0	0	0		0	0	0	0	0	0		0.005
0 12	0	0 81	0	0	0	0	0	0	0	0	-2,086 -159
0	0	0	0	0	0	0	0	0	0	0	-368
12	0	81	0	0	0	0	0	0	0	0	-2,614
93	785	701	47	0	0	0	0	0	0	0	-684
93	765	701	41	O	0	0	U	U	U	O	-004
0	0	0	0	0	-683	0	0	0	0	255	-428
0	0	0	0	-3,508	0	-9	-41	-2	0	2,710	-4,850
0	0	0	0	0	0	0	-26	0	0	103	-360
0	0	0	0	-3,508	-683	-9	-67	-2	0	3,068	-5,638
0	0	-368	-47	0	0	0	0	0	0	-231	-1,323
85	37	43	0	0	0	0	0	-0	0	-144	13
190	822	458	0	-3,508	-683	-9	-67	-2	0	2,693	-10,246
0	0	0	0	0	0	0	0	0	0	574	754
0	0	0	0	0	0	0	0	0	0	887	1,119
16	0	0	0	364	0	0	0	0	0	1,236	3,379
0	731	0	0	0	0	0	0	0	41	5	5,765
0	0	0	0	0	0	0	0	0	0	8	10
0	0	0	0	0	0	0	0	0	0	0	257
0	0	174	0	0	0	0	0	0	0	0	1,944
16	731	174	0	364	0	0	0	0	41	2,711	13,229
0	0	0	0	13,763	2,980	35	153	6	0	0	34,705
J	0	0	0	10,700	2,900	55	100	0	U	U	34,703
0	0	0	0	0	0	0	99	0	0	0	1,195

TABLE 32: ENERGY BALANCE TABLE IN THIRD QUARTER (Q3) OF 2013 (KILOTONNES OF OIL EQUIVALENT)

	MATUDAL		CRUDE	OTHERO	TOTAL	PETROLEUM	PRODUCTS	3	
ENERGY SOURCE	NATURAL GAS	LNG	OIL (1/)	OTHERS (2/)	PETROLEUM PRODUCTS	PETROL	DIESEL	FUEL OIL	LPG
PRIMARY SUPPLY									
1. Primary Production	15,609	0	6,909	0	0	0	0	0	0
2. Gas Flaring, Reinjection & Use	-1,184	0	0	0	0	0	0	0	C
3. Imports	1,532	692	1,946	0	4,745	2,406	940	766	115
4. Exports	-321	-6,697	-1,992	-11	-2,466	0	-731	-947	-55
5. Bunkers	0	0	0	0	-15	0	-1	-14	0
5. Stock Change	0	0	-104	0	-546	-241	-217	-21	39
7. Statistical Discrepancy	0	0	0	0	0	0	0	0	0
8. Primary Supply	15,636	-6,005	6,759	-11	1,718	2,165	-8	-217	99
TRANSFORMATION									
9. Gas Plants									
9.1 MLNG	-8,042	6,971	0	0	55	0	0	0	55
9.2 MDS	-159	0	0	0	128	0	34	0	C
9.3 GPP-LPG (3&4/)	-1,163	0	0	0	304	0	0	0	304
Subtotal	-9,364	6,971	0	0	486	0	34	0	358
10. Refineries	0	0	-6,657	11	5,882	975	2,593	304	290
11. Power Stations & Self-Generation									
11.1 Hydro Stations	0	0	0	0	0	0	0	0	0
11.2 Thermal Stations	-3,452	-692	0	0	-152	0	-118	-35	0
11.3 Self-Generation (5/)	-390	0	0	0	-5	0	-5	0	0
Subtotal	-3,842	-692	0	0	-158	0	-123	-35	0
12. Losses & Own Use	-166	-274	-102	0	-442	0	0	-4	0
13. Statistical Discrepancy	0	0	0	0	-89	59	-104	59	7
4. Secondary Supply	-13,372	6,005	-6,759	11	5,680	1,033	2,400	324	654
FINAL USE CONSUMPTION	10,012	0,000	0,103		0,000	1,000	2,400	024	004
5. Residential	0	0	0	0	184	0	0	0	183
6. Commercial	5	0	0	0	264	0	102	0	162
7. Industrial	1,043	0	0	0	719	61	516	84	55
18. Transport	73	0	0	0	5,440	3,112	1,536	22	
9. Agriculture	0	0	0	0	2	0,112	0	2	
20. Fishing	0	0	0	0	264	25	238	0	
21. Non-Energy Use	1,142	0	0	0	525	0	0	0	353
22. Total Final Consumption	2,263	0	0	0	7,398	3,198	2,392	108	754
					1,050	0,.50		LECTRICITY (
Aain Activity Producer							-		
Gross Electricity Generation - GWh	15,021	0	0	0	1,557	0	765	791	0
Autoproducer	. 3,321			3	.,001		, 55	, , ,	

Crude production includes Condensates comprising Pentane and Heavier Hydrocarbons.
 Others Refer to Non-Crude Energy Forms (consist of Imported Light Diesel, Slop Reprocess, Crude Residuum & Middle East Residue) Which are Used as Refinary Intake.
 GPP-LPG Extracts Liquid Products i.e Condensates, Ethane, Butane, Propane from Natural Gas, Ethane is Not included under LPG production.
 Butane and Propane as MTBE Feedstocks are Presented as Non-Energy use under LPG column. Ethane is Presented under Natural Gas Column.
 Estimated figures based from the Energy Commission, Statistics of Electricity Supply Industry in Malaysia 2013.

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	KEROSENE		NON- ENERGY				SOLAR	BIOMASS	BIOGAS	BIODIESEL	ELECTRICITY	TOTAL
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												
0 262 255 0 3,638 0 0 0 0 0 0 0 0 12, -11 -225 -496 0 -566 0 0 0 0 0 0 -566 -1 -11, 0 0 0 -0 0 0 0 0 0 0 0 0 0 0 0 0 -1 26 -132 0 -241 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 -1 26 -132 0 0 -241 0 0 0 0 0 0 0 0 0 -1 26 -132 0 0 0 0 0 0 0 0 0 0 0 0 -1 26 -132 0 0 0 0 0 0 0 0 0 0 0 0 -1 26 -132 0 0 0 0 0 0 0 0 0 0 0 0 0 -1 26 -132 0 0 0 0 0 0 0 0 0 0 0 0 0 -1 27 -1 26 -132 0 0 0 0 0 0 0 0 0 0 0 0 0 0 -1 27 -1 26 -132 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 -1 27 -1 26 -132 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		0	0						2		0	23,789
-11												-1,184
0 0 0 -0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												12,553
-1 26 -132 0 -241 0 0 0 0 -19 0 -19 0 -10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												-11,600
0 0 0 0 0 35 0 0 0 0 0 0 0 0 0 0 0 0 0 0												-15
-12 63 -373 0 3,808 633 9 66 2 54 -1 22,20 0												-910
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0												35
14 0 80 0	-12	63	-3/3	U	3,808	033	9	66	2	54	-1	22,668
14 0 80 0												
0 0	0	0	0	0	0	0	0	0	0	0	0	-1,017
14 0 80 0 0 0 0 0 0 0 -1, 95 707 870 49 0 <	14	0	80	0	0	0	0	0	0	0	0	-31
95 707 870 49 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0	0	0	0	0	0	0	0	0	0	-860
0 0 0 0 0 0 -633 0 0 0 0 249 0 0 0 0 0 -3,409 0 -9 -40 -2 0 2,815 -4, 0 0 0 0 0 0 0 0 0 0 0 0 0 106 0 0 0 0 0 -3,409 -633 -9 -66 -2 0 3,170 -5, 0 0 -389 -49 0 0 0 0 0 0 0 0 310 -1, -93 0 -16 0 0 0 0 0 0 0 0 0 186 16 707 544 0 -3,409 -633 -9 -66 -2 0 2,674 -9, 0 0 0 0 0 0 0 0 0 0 0 0 0 877 1, 4 0 0 0 400 0 0 0 0 0 0 877 1, 4 0 0 0 400 0 0 0 0 0 0 54 5 5, 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 172 0 0 0 0 0 0 0 0 0 0 0 1,	14	0	80	0	0	0	0	0	0	0	0	-1,908
0 0 0 0 0 -3,409 0 -9 -40 -2 0 2,815 -4, 0 0 0 0 0 0 0 0 0 -26 0 0 0 106 0 0 0 0 -3,409 -633 -9 -66 -2 0 3,170 -5, 0 0 -389 -49 0 0 0 0 0 0 0 0 -310 -1, -93 0 -16 0 0 0 0 0 0 0 0 0 0 -186 16 707 544 0 -3,409 -633 -9 -66 -2 0 2,674 -9, 0 0 0 0 0 0 0 0 0 0 0 0 0 0 877 1, 4 0 0 0 0 400 0 0 0 0 0 0 877 1, 4 0 0 0 0 400 0 0 0 0 0 0 54 5 5, 0 771 0 0 0 0 0 0 0 0 0 0 54 5 5, 0 172 0 0 0 0 0 0 0 0 0 0 0 0 0	95	707	870	49	0	0	0	0	0	0	0	-764
0 0 0 0 0 -3,409 0 -9 -40 -2 0 2,815 -4, 0 0 0 0 0 0 0 0 0 -26 0 0 0 106 0 0 0 0 -3,409 -633 -9 -66 -2 0 3,170 -5, 0 0 -389 -49 0 0 0 0 0 0 0 0 -310 -1, -93 0 -16 0 0 0 0 0 0 0 0 0 0 -186 16 707 544 0 -3,409 -633 -9 -66 -2 0 2,674 -9, 0 0 0 0 0 0 0 0 0 0 0 0 0 0 877 1, 4 0 0 0 0 400 0 0 0 0 0 0 877 1, 4 0 0 0 0 400 0 0 0 0 0 0 54 5 5, 0 771 0 0 0 0 0 0 0 0 0 0 54 5 5, 0 172 0 0 0 0 0 0 0 0 0 0 0 0 0	0	0	0	0	0	-633	0	0	0	0	249	-384
0 0				0								-4,941
0 0 -389 -49 0 0 0 0 0 0 -310 -1, -93 0 -16 0 0 0 0 0 0 0 0 0 0 -186 -2 16 707 544 0 -3,409 -633 -9 -66 -2 0 2,674 -9, 0 0 0 0 0 0 0 0 0 0 877 1, 4 0 0 0 0 0 0 0 0 0 1,198 3, 0 771 0 <td< td=""><td></td><td></td><td></td><td>0</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-315</td></td<>				0								-315
0 0 -389 -49 0 0 0 0 0 0 -310 -1, -93 0 -16 0 0 0 0 0 0 0 0 0 0 -186 -2 16 707 544 0 -3,409 -633 -9 -66 -2 0 2,674 -9, 0 0 0 0 0 0 0 0 0 0 0 877 1, 4 0 0 0 0 0 0 0 0 0 0 1,198 3, 0 771 0 0 0 0 0 0 0 0 0 0 0 0 8 0 <	0	0	0	0	-3,409	-633	-9	-66	-2	0	3,170	-5,640
16 707 544 0 -3,409 -633 -9 -66 -2 0 2,674 -9,674 0 0 0 0 0 0 0 0 0 0 0 584 0 0 0 0 0 0 0 0 0 0 0 877 1, 4 0 0 0 400 0 0 0 0 0 1,198 3, 0 771 0 0 0 0 0 0 54 5 5, 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 172 0 0 0 0 0 0 0 0 0	0	0	-389	-49						0		-1,293
16 707 544 0 -3,409 -633 -9 -66 -2 0 2,674 -9,674 0 0 0 0 0 0 0 0 0 0 0 584 0 0 0 0 0 0 0 0 0 0 0 877 1, 4 0 0 0 400 0 0 0 0 0 1,198 3, 0 771 0 0 0 0 0 0 54 5 5, 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 172 0 0 0 0 0 0 0 0 0	-93			0	0							-275
0 0 0 0 0 0 0 0 0 0 0 0 584 0 0 0 0 0 0 0 0 0 0 0 0 877 1, 4 0 0 0 400 0 0 0 0 0 0 1,198 3, 0 771 0 0 0 0 0 0 0 0 54 5 5, 0 0 0 0 0 0 0 0 0 0 0 8 0 0 0 172 0 0 0 0 0 0 0 0 0 1,												-9,880
0 0												
4 0 0 0 400 0 0 0 0 0 1,198 3,00 0 771 0 0 0 0 0 0 0 54 5 5,00 0	0	0	0	0	0	0	0	0	0	0	584	768
0 771 0 0 0 0 0 0 0 5 5 0 1 1 0 <td></td> <td></td> <td></td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td> <td>877</td> <td>1,147</td>				0						0	877	1,147
0 1 1 0 <td>4</td> <td>0</td> <td>0</td> <td>0</td> <td>400</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>1,198</td> <td>3,360</td>	4	0	0	0	400	0	0	0	0	0	1,198	3,360
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0	771	0	0	0	0	0	0	0	54	5	5,572
0 0 172 0 0 0 0 0 0 0 1,	0	0	0	0	0	0	0	0	0	0	8	- 11
	0	0	0	0	0	0	0	0	0	0	0	264
4 771 172 0 400 0 0 0 54 2,673 12	0	0	172	0	0	0	0	0	0	0	0	1,667
	4	771	172	0	400	0	0	0	0	54	2,673	12,788
0 0 0 0 13,474 1,796 35 153 6 0 0 32 ,	0	0	0	0	13,474	1,796	35	153	6	0	0	32,041
0 0 0 0 0 0 0 100 0 0 1,	0	n	n	0	n	n	n	100	n	0	Ω	1,231

TABLE 33: ENERGY BALANCE TABLE IN FOURTH QUARTER (Q4) OF 2013 (KILOTONNES OF OIL EQUIVALENT)

			CRUDE		TOTAL	PETROLEUM	PRODUCTS	5	
ENERGY SOURCE	NATURAL GAS	LNG	OIL (1/)	OTHERS (2/)	PETROLEUM PRODUCTS	PETROL	DIESEL	FUEL OIL	LPG
PRIMARY SUPPLY									
I. Primary Production	16,434	0	7,128	0	0	0	0	0	(
2. Gas Flaring, Reinjection & Use	-876	0	0	0	0	0	0	0	(
3. Imports	1,674	561	1,933	0	5,883	2,012	2,085	897	116
l. Exports	-303	-7,172	-1,547	-11	-4,889	-86	-2,633	-1,276	-44
. Bunkers	0	0	0	0	-15	0	-1	-14	(
i. Stock Change	0	0	-263	0	-290	-434	9	40	89
. Statistical Discrepancy	0	0	-248	0	0	0	0	0	(
3. Primary Supply	16,930	-6,611	7,005	-11	690	1,492	-539	-353	16
TRANSFORMATION									
. Gas Plants									
9.1 MLNG	-9,434	7,426	0	0	55	0	0	0	5
9.2 MDS	-263	0	0	0	109	0	30	0	(
9.3 GPP-LPG (3&4/)	-412	0	0	0	304	0	0	0	304
Subtotal	-10,110	7,426	0	0	467	0	30	0	358
10. Refineries	0	0	-6,881	11	6,698	1,494	2,951	450	172
11. Power Stations & Self-Generation									
11.1 Hydro Stations	0	0	0	0	0	0	0	0	(
11.2 Thermal Stations	-3,750	-561	0	0	-180	0	-112	-68	(
11.3 Self-Generation (5/)	-411	0	0	0	-5	0	-5	0	(
Subtotal	-4,161	-561	0	0	-185	0	-117	-68	(
12. Losses & Own Use	-164	-254	-124	0	-445	0	0	-5	(
13. Statistical Discrepancy	-0	-0	0	0	40	77	68	90	15
4. Secondary Supply	-14,435	6,611	-7,005	11	6,576	1,571	2,932	467	54!
FINAL USE CONSUMPTION	,	.,.	,		.,	,	,		
5. Residential	0	0	0	0	190	0	0	0	189
6. Commercial	6	0	0	0	214	0	27	0	186
7. Industrial	1,152	0	0	0	709	47	512	98	50
8. Transport	70	0	0	0	5,438	2,991	1,626	14	(
9. Agriculture	0	0	0	0	1	0	0	1	(
0. Fishing	0	0	0	0	253	25	228	0	(
1. Non-Energy Use	1,267	0	0	0	462	0	0	0	280
2. Total Final Use	2,495	0	0	0	7,266	3,063	2,393	114	705
								ELECTRICITY (OUTPU
lain Activity Producer									
Gross Electricity Generation - GWh	17,633	0	0	0	754	0	441	313	(
Autoproducer									

Crude production includes Condensates comprising Pentane and Heavier Hydrocarbons.
 Others Refer to Non-Crude Energy Forms (consist of Imported Light Diesel, Slop Reprocess, Crude Residuum & Middle East Residue) Which are Used as Refinary Intake.
 GPP-LPG Extracts Liquid Products i.e Condensates, Ethane, Butane, Propane from Natural Gas, Ethane is Not included under LPG production.
 Butane and Propane as MTBE Feedstocks are Presented as Non-Energy use under LPG column. Ethane is Presented under Natural Gas Column.
 Estimated figures based from the Energy Commission, Statistics of Electricity Supply Industry in Malaysia 2013.

KEROSENE	ATF & AV GAS	NON- ENERGY	REFINERY GAS	COAL & COKE	HYDRO POWER	SOLAR	BIOMASS	BIOGAS	BIODIESEL	ELECTRICITY	TOTAL
0	0	0	0	467	800	10	70	2	136	0	25.047
0	0	0	0	467 0	0	0	0	2	0	0	25,047 -876
145	324	304	0	3,040	0	0	0	0	0	0	13,092
-176	-145	-528	0	-87	0	0	0	0	-40	-1	-14,050
0	0	-0	0	0	0	0	0	0	0	0	-15
2	-9	14	0	135	0	0	0	0	-39	0	-456
0	0	0	0	-83	0	0	0	0	0	0	-331
-29	169	-210	0	3,472	800	10	70	2	57	-1	22,412
0	0	0	0	0	0	0	0	0	0	0	-1,954
12	0	67	0	0	0	0	0	0	0	0	-154
0	0	0	0	0	0	0	0	0	0	0	-109
12	0	67	0	0	0	0	0	0	0	0	-2,217
96	726	758	50	0	0	0	0	0	0	0	-172
0	0	0	0	0	-800	0	0	0	0	286	-514
0	0	0	0	-3,051	0	-10	-42	-2	0	2,546	-5,050
0	0	0	0	0	0	0	-28	0	0	108	-330
0	0	0	0	-3,051	-800	-10	-70	-2	0	2,940	-5,900
0	0	-389	-50	0	0	0	0	0	0	-223	-1,20
-76	-89	-44	0	0	0	0	-0	0	0	-43	-3
33	637	392	0	-3,051	-800	-10	-70	-2	0	2,674	-9,500
0	0	0	0	0	0	0	0	0	0	557	747
0	0	0	0	0	0	0	0	0	0	870	1,089
3	0	0	0	421	0	0	0	0	0	1,232	3,51
0	806	0	0	0	0	0	0	0	57	5	5,570
0	0	0	0	0	0	0	0	0	0	8	10
0	0	101	0	0	0	0	0	0	0	0	253
0	0	181	0	0	0	0	0	0	0	0	1,729
4	806	181	0	421	0	0	0	0	57	2,673	12,912
0	0	0	0	12,239	3,323	35	153	6	0	0	34,143
0	0	0	0	0	0	0	101	0	0	0	1,250




07.

ENERGY FLOW CHART



ENERGY FLOW CHART



08.

MANUFACTURING INDUSTRY IN PENINSULAR MALAYSIA



INTRODUCTION

conducted with 520 manufacturing companies in Peninsular Malaysia

A survey was conducted with 520 manufacturing companies in Peninsular Malaysia to understand the energy consumption pattern of manufacturing industry in Peninsular Malaysia. Monthly data of energy consumption was collected for the year 2010 to 2013 for eight types of energy; electricity, natural gas, petrol, diesel, fuel oil, LPG, kerosene and coal. Manufacturing industry sub-sectors included are; Iron and Steel, Chemical (including Petro-Chemical), Non Ferrous Metals, Non Metallic Mineral Products, Transportation Equipment, Machinery, Food, Beverages and Tobacco, Pulp, Paper and Printing, Wood and Wood Products, Textile and Leather and Not Elsewhere Specified (Industry). This is in accordance to the breakdown of the manufacturing sub-sectors by the International Energy Agency (IEA) and APEC format of classification of the industrial sector. The gathered data on energy consumption in the manufacturing industry will then be an input to the National Energy Balance (NEB).

Manufacturing Sub-Sectors

Location of Manufacturing Companies




TABLE 34: FINAL ENERGY CONSUMPTION BY SUB-SECTORS IN MANUFACTURING SECTOR, 2010

Year: 2010 / Unit: ktoe	Natural Gas	Petrol	Diesel	Fuel Oil	LPG	Kerosene	Coal & Coke	Electricity	Total
Iron and Steel	1,463	-	363	59	143	-	-	558	2,586
Chemical	378	21	132	68	7	-	-	470	1,077
Non Ferrous Metals	20	-	-	-	-	-	-	277	297
Non Metallic Mineral Products	114	-	65	71	-	-	1,716	514	2,480
Transportation Equipment	29	-	407	-	1	5	-	241	682
Machinery	2	24	35	-	-	=	-	127	188
Food, Beverages and Tobacco	1,227	15	32	9	1	-	-	196	1,481
Pulp, Paper and Printing	192	7	154	-	-	-	-	504	857
Wood and Wood Products	40	3	61	89	=	=	=	234	426
Textile and Leather	132	4	206	7	2	-	-	255	606
Not Elsewhere Specified	50	3	8	24	60	-	-	292	437
Total	3,646	76	1,465	326	214	5	1,716	3,669	11,117




TABLE 35: FINAL ENERGY CONSUMPTION BY SUB-SECTORS IN MANUFACTURING SECTOR, 2011

Year: 2011 / Unit: ktoe	Natural Gas	Petrol	Diesel	Fuel Oil	LPG	Kerosene	Coal & Coke	Electricity	Total
Iron and Steel	1,673	-	230	34	121	-	-	559	2,617
Chemical	429	37	88	62	6	-	-	501	1,125
Non Ferrous Metals	57	-	-	-	-	-	-	296	353
Non Metallic Mineral Products	126	-	45	59	-	-	1,565	525	2,320
Transportation Equipment	45	-	296	-	2	8	=	243	593
Machinery	2	43	19	-	-	-	-	125	188
Food, Beverages and Tobacco	1,347	27	16	10	1	=	=	204	1,605
Pulp, Paper and Printing	150	13	61	-	-	-	-	539	763
Wood and Wood Products	56	6	40	74	-	-	-	215	390
Textile and Leather	151	8	91	6	1	-	-	275	533
Not Elsewhere Specified	62	8	5	20	69	-	-	311	474
Total	4,099	141	890	264	200	8	1,565	3,794	10,961




TABLE 36: FINAL ENERGY CONSUMPTION BY SUB-SECTORS IN MANUFACTURING SECTOR, 2012

Year: 2012 / Unit: ktoe	Natural Gas	Petrol	Diesel	Fuel Oil	LPG	Kerosene	Coal & Coke	Electricity	Total
Iron and Steel	1,724	-	337	50	84	-	-	576	2,770
Chemical	511	53	132	160	4	=	-	520	1,380
Non Ferrous Metals	107	-	-	-	-	-	-	294	401
Non Metallic Mineral Products	114	-	66	123	-	-	1,589	543	2,435
Transportation Equipment	51	-	461	-	1	12	-	267	792
Machinery	2	65	31	-	=	=	-	138	236
Food, Beverages and Tobacco	1,416	26	31	22	1	-	-	212	1,708
Pulp, Paper and Printing	191	20	113	-	-	-	-	546	871
Wood and Wood Products	56	8	43	154	-	=	-	220	482
Textile and Leather	141	10	99	13	1	-	-	265	528
Not Elsewhere Specified	64	6	10	42	26	-	-	322	471
Total	4,379	188	1,322	564	117	12	1,589	3,903	12,073





TABLE 37: FINAL ENERGY CONSUMPTION BY SUB-SECTORS IN MANUFACTURING SECTOR, 2013

Year: 2013 / Unit: ktoe	Natural Gas	Petrol	Diesel	Fuel Oil	LPG	Kerosene	Coal & Coke	Electricity	Total
Iron and Steel	1,702	-	402	22	107	-	-	612	2,845
Chemical	568	64	157	67	6	-	-	536	1,397
Non Ferrous Metals	74	-	-	-	-	-	-	303	377
Non Metallic Mineral Products	116	-	59	52	-	-	1,387	560	2,173
Transportation Equipment	55	-	528	-	1	13	-	271	869
Machinery	3	69	36	-	-	=	-	150	258
Food, Beverages and Tobacco	1,429	60	37	11	2	-	-	220	1,758
Pulp, Paper and Printing	128	21	90	-	-	-	-	443	682
Wood and Wood Products	17	7	49	29	=	=	-	280	381
Textile and Leather	143	12	41	6	1	-	-	270	473
Not Elsewhere Specified	61	8	15	18	30	-	-	335	467
Total	4,296	240	1,414	204	145	13	1,387	3,979	11,679



NOTES ON ENERGY BALANCE

The net calorific value (NCV) was chosen as the basis of calculations rather than the gross calorific value (GCV). The Joule was used as the rigorous accounting unit, while the "tonnes oil equivalent" (1 toe= 41.84 Gigajoules) was chosen as the final unit for presentation in the Energy Balance.

ENERGY BALANCE FORMAT

The rows of the Energy Balance tables contain the following items:

Primary Supply	refers to supply of energy that has not undergone the transformations / conversion process within the country.
Primary Production (1)	refers to the quantity of fuels extracted. Data for natural gas excludes the amount of reinjected and flared gas. Gross production of hydro is shown in conventional fuel equivalent input.
Gas Flaring, Reinjection & Use (2)	refers to the quantity of gas flared, reinjected into the gas fields and use for production purpose.
Imports (3) and Exports (4)	refers to the amount of primary and secondary energy obtained from, or supplied to other countries. In the energy balance format, imports always carry a positive and export a negative sign.
Bunkers (5)	refer to the amount of fuels delivered to ocean-going ships of all flags engaged in international traffic.
Stock Change (6)	refers to the difference between the amounts of fuel in stocks at the beginning and end of year and should ideally cover producers, importers and industrial consumers. At this stage, however, only oil companies' stock are taken into account. A negative sign indicates net increase while a positive sign indicates net decrease in stocks.
Total	under primary supply, 'total' is the addition of columns to obtain total availability. Under transformation, 'total' is the addition of columns to obtain transformation and conversion losses.
Gas Plants (9)	shows the input of natural gas into the LNG, MDS and GPP-LPG plants and their respective outputs.
Refineries (10), power stations and Co-generation & Private licensees (11)	shows the input of any energy product (negative sign) for the purpose of converting it to one or more secondary products (positive sign).
Losses and Own Use (12)	refers to losses of electrical energy and natural gas which occur outside the utilities and plants (i.e. distribution losses) and the consumption of energy by utilities and plants for operating their installation (i.e. electricity for operating auxiliary equipment and petroleum products used in the crude distillation process respectively). It does not, however, include conversion loss that is accounted for in the 'total' column.
Secondary Supply (14)	refers to the supply of energy from the transformation process and after deducting the energy sector's own use and losses, including power station use.
Residential and Commercial (15 & 16)	not only refers to energy used within households and commercial establishments but includes government buildings and institutions.
Industry (17)	is a very broad-based sector ranging from manufacturing to mining and construction. Diesel sales through distributors are assumed to be to industrial consumers.
Transport (18)	basically refers to all sales of motor gasoline and diesel from service stations and sales of aviation fuel. It also includes diesel and motor gasoline sold directly to government and military.
Agriculture (19)	covers agriculture and forestry.
Fishery (20)	may involve the capture of wild fish or raising fish through fish farming or aquaculture.
Non-Energy Use (21)	use of products resulting from the transformation process for non-energy purpose (i.e. bitumen/lubricants, asphalt/greases) and use of energy products (such as natural gas) as industrial feedstocks

Final use (22)	refers to the quantity of energy of all kinds delivered to the final user.
Main Activity Producer	plants that are either owned by public or private utilities but for which the main activity is to produce power
Autoproducer	plants which is not to produce power, their main activity is e.g industrial activity

I) Non-commercial energy such as firewood and other biomass fuels have been excluded in the energy balance until more reliable data are made available.

NOTES ON ELECTRICITY

Reserve Margin	Total capacity margin is defined as the amount of installed generation available over and above system peak load RESERVE MARGIN = Installed Capacity - Peak Consumption Peak Consumption
Peak Demand	The maximum power consumption registered by a customer or a group of customers or a system in a stated period of time such as a month or a year. The value may be the maximum instantaneous load or more usually, the average load over a designated interval of time, such as half an hour and is normally stated in kilowatts or megawatts.
Installed Capacity	Installed capacity is defined as the maximum possible capacity (nameplate rating) that can be provided by the plant.
Dependable Capacity	The maximum capacity, modified for ambient limitations for a specified period of time, such as a month or a season.
Available Capacity	Available capacity refers to the Latest Tested Net Capacity. It is the dependable capacity, modified for equipment limitation at any time.
Unit Generated (Gross Generation)	The total amount of electric energy produced by generating units and measured at the generating terminal in kilowatt-hours (kWh) or megawatt hours (MWh)
Unit Sent Out From Station(s) (Net Generation)	The amount of gross generation less the electrical energy consumed at the generating station(s) for station service or auxiliaries

NOTES ON COAL

Measured Resources	Refers to coal for which estimates of the rank and quantity have been computed to a high degree of geologic assurance, from sample analyses and measurements from closely spaced and geologically well known sample sites.
Indicated Resources	Refers to coal for which estimates of the rank, quality, and quantity have been computed to a moderate degree of geologic assurance, partly from sample analyses and measurements and partly from reasonable geologic projections.
Inferred Resources	Refers to coal of a low degree of geologic assurance in unexplored extensions of demonstrated resources for which estimates of the quality and size are based on geologic evidence and projection. Quantitative estimates are based on broad knowledge of the geologic character of the bed or region where few measurements or sampling points are available and on assumed continuation from demonstrated coal for which there is geologic evidence.

II) The output side of the final user's equipment of device i.e. useful energy will not be dealt with in the balance as it will involve assessing the efficiencies of end - use equipment operating under various different conditions.

NOTES ON GDP

Definition

GDP is a measure of the total value of production of all resident producing units of a country in a specified period, before deducting allowances for consumption of fixed capital. A producing unit is considered as resident in a country if it maintains a centre of economic interest in the economic territory of that country. The economic territory of a country consists of the geographic territory administered by a government within which persons, goods and capital circulate freely. GDP can be measured in three but equivalent ways, namely, the sum of value added, the sum of final expenditures and the sum of incomes. In Malaysia, Department of Statistics Malaysia (DOSM) compiles annual GDP estimates using the sum of value added and sum of final expenditure approaches.

The sum of value added (or production) based GDP is the sum of the differences between the values of the gross output of resident producing units measured in producers' values and the values of their intermediate consumption measured in purchasers' values plus import duties. The difference between gross output and intermediate consumption is value added. This approach shows the contribution of individual economic activities to the total GDP.

Measuring GDP

Income based estimates – summing up the incomes generated (i.e salaries and wages, gross operating surplus of enterprises and mixed income generated by households that engage in production) $\frac{1}{2}$

The sum of final expenditures (expenditure) approach is to sum up the expenditure values of the final users of goods and services measured in purchasers' values, less the c.i.f. values of the import of goods and services. It is calculated by estimating the values of private consumption expenditure, government consumption expenditure, gross fixed capital formation, change in stocks and exports of goods and services, less imports of goods and services. These are termed 'final Consumption' or 'final expenditure' categories.

NOTES ON GNI

Definition

The Gross national income (GNI) consists of: the personal consumption expenditure, the gross private investment, the government consumption expenditures, the net income from assets abroad (net income receipts), and the gross exports of goods and services, after deducting two components: the gross imports of goods and services, and the indirect business taxes. The GNI is similar to the gross national product (GNP), except that in measuring the GNP one does not deduct the indirect business taxes.

As GNI is an add up of Net Income from abroad and the GDP, one can calculate the GNI by the following formula:

GNI = GDP + (FL - DL) + NCI

Measuring GNI

When FL and DL are respectively the foreign and domestic income from labor, and NCI the net capital inflow. For example, if a country A's nominal GDP is \$20,000, the domestic income from labor \$3,000 and the foreign income from labor \$5,000, and the country received a \$10,000 donation from another country's charity organization, the GNI of country A would be \$32,000.

CONVERSION COEFFICIENTS AND EQUIVALENCE

COAL AND COKE (TJ/1000 TONNES)			
Hard Coal	29.3076 Lign	nite/Brown Coal	11.2834
Coke/Oven Coke	26.3768 Peat	at	9.525
Gas Coke	26.3768 Chai	arcoal	28.8888
Brown Coal Coke	19.6361 Fuel	elwood ²	13.4734
Pattern Fuel Briquettes	29.3076 Lign	nite Briquettes	19.6361

NATURAL GAS PRODUCTS (TJ/1000 TONNES)			
Linuxfied Natural Cos (LNC)	4F 1000	Natural Cas	1TJ/ million scf
Liquefied Natural Gas (LNG)	45.1923	Natural Gas	0.9479 mmbtu/GJ
Butane	50.393	Ethane	1,067.82 GJ/mscf
Pronane	49 473	Methane	1 131 31 G.I/mscf

Electricity	3.6 TJ/GWh

PETROLEUM PRODUCTS (TJ/1000 TONNES)			
Crude Petroleum (imported)	42.6133	Gas Oil/Diesel	42.4960
Crude Petroleum (domestic)	43.3000	Residual Fuel Oil	41.4996
Plant Condensate	44.3131	Naphtha	44.1289
Aviation Gasoline (AV GAS)	43.9614	White/Industrial Spirit	43.2078
Liquefied Petroleum Gas (LPG)	45.5440	Lubricants	42.1401
Petrol	43.9614	Bitumen (Asphalt)	41.8000
Natural Gasoline	44.8992	Petroleum Waxes	43.3334
Aviation Turbine Fuel (ATF)	43.1994	Petroleum Coke	36.4000
Kerosene	43.1994	Other Petroleum Products	42.4960

^{1,000} Tonnes Oil Equivalent (toe) = 41.84 TJ

FI FCTRICITY

CRUDE OIL AND PETROLEUM PRODUCTS (BARRELS TO TONNES)	
PRODUCT	BARRELS/TONNE
Crude Oil - Import	7.33
- Local	7.60
Petrol	8.55
Diesel	7.50
Fuel Oil	6.60
Kerosene	7.90
Liquefied Petroleum Gas (LPG)	11.76
Aviation Turbine Fuel (ATF)	7.91
Aviation Gasoline (AV GAS)	9.05
Non-Energy	6.50

Note: ¹ Unless otherwise indicated ² Assuming 9.7 TJ/1000 cubic metre

SOLID FUELS							
FROM	GIGAJOULES	MILLION BTUS	GIGACALORIES	MEGAWATT HOURS	BARRELS OIL	TONNE COAL EQUIVALENT	TONNE OIL EQUIVALENT
METRIC TONNE				MULTIPLY BY			
Hard Coal	29.310	27.780	7.000	8.140	4.900	1.000	0.700
Lignite	11.280	10.700	2.700	3.130	2.500	0.385	0.270
Peat	9.530	9.030	2.280	2.650	2.300	0.325	0.228
Gas Coke	26.380	25.000	6.300	7.330	4.400	0.900	0.630
Oven Coke	26.380	25.000	6.300	7.330	4.400	0.900	0.630
Petroleum Coke	35.170	33.330	8.400	9.770	5.900	1.200	0.840
Charcoal	28.890	27.380	6.900	8.020	4.800	0.985	0.690
Fuelwood	12.600	11.940	3.010	3.500	2.100	0.430	0.301

LIQUID FUELS								
INTO FROM	GIGAJOULES	MILLION BTUS	GIGACALORIES	MEGAWATT HOURS	BARRELS OIL	TONNE COAL EQUIVALENT	TONNE OIL EQUIVALENT	LITRES
METRIC TONNE				MULTIPLY BY				
Crude Oil	42.620	40.390	10.180	11.840	7.320	1.454	1.018	1,164
Natural Gas Liquids	45.190	42.830	10.790	12.550	10.400	1.542	1.079	1,653
Liquefied Petroleum Gas (LPG)	45.550	43.170	10.880	12.650	11.650	1.554	1.088	1,852
Propane	45.590	43.210	10.890	12.670	12.340	1.556	1.089	1,962
Butane	44.800	42.460	10.700	12.440	10.850	1.529	1.070	1,726
Petrol	43.970	41.670	10.500	12.210	8.500	1.500	1.050	1,590
Aviation Gasoline (AV GAS)	43.970	41.670	10.500	12.210	8.620	1.500	1.050	1,370
Aviation Turbine Fuel (ATF)	43.210	40.950	10.320	12.000	7.770	1.474	1.032	1,235
Kerosene	43.210	40.950	10.320	12.000	7.770	1.474	1.032	1,235
Diesel	42.500	40.280	10.150	11.810	7.230	1.450	1.015	1,149
Residual Fuel Oil	41.510	39.340	9.910	11.530	6.620	1.416	0.991	1,053
Lubricants	42.140	39.940	10.070	11.700	6.990	1.438	1.007	1,111
Bitumen / Asphalt	41.800	39.620	9.980	11.610	6.050	1.426	0.998	962
Naphtha	44.130	41.830	10.540	12.260	8.740	1.506	1.054	1,389
Other Petroleum Products	42.500	40.280	10.150	11.800	6.910	1.450	1.015	1,099


GASEOUS FUEL	.S							
FROM	INTO	GIGAJOULES	MILLION BTUS	GIGACALORIES	MEGAWATT HOURS	BARRELS OIL	TONNE COAL EQUIVALENT	TONNE OIL EQUIVALENT
METRIC TONNE					MULTIPLY BY			
Natural Gas		39.020	36.980	9.320	10.840	6.500	1.331	0.932
Refinery Gas		46.100	43.700	11.000	12.800	7.690	1.571	1.100
Biogas		20.000	19.000	4.800	5.600	3.360	0.686	0.480
Methane		33.500	31.700	8.000	9.300	5.590	1.143	0.800
Ethane		59.500	56.300	14.200	16.500	9.920	2.029	1.420
Propane		85.800	81.300	20.500	23.800	14.330	2.929	2.050
Butane		111.800	106.000	26.700	31.000	18.600	3.814	2.670
Pentane		134.000	127.000	32.000	37.200	22.360	4.571	3.200

Note: 1 cubic metre = 35.31467 cubic feet

DEFINITION

The sources of energy covered in the Energy Balances are as below:

LING Is natural gas that is liquefied for ocean transportation and export Is natural gas that is liquefied for ocean transportation and export Is natural product that is extracted from mineral deposits and consists essentially of many different non-aromate hydrocarbons (paraffinic, cyclonic, etc.) Aviation Gasoline (AV GAS) Is a special blended grade of gasoline for use in aircraft engines of the piston type. Distillation range normally falls within 30°C and 200°C. Liquefied Petroleum Gas (LPG) Commercial LPC consists essentially of a mixture of propane and butane gases which are held in the liquid state by pressure or refrigeration. Petrol Petrol Petrol Petrol Petrol of paraffic in a visition of the properties of the piston range in within 30°C and 250°C. Kerosene Is a straight-run fraction from crude oil, with boiling range from 150°C to 250°C. Its main uses are for domestic lighting and cooking. Distillation falls within 200°C to 240°C. Dissel fuels for high speed dissel engines (i.e. automotive) are more critical of the quality than dissel for stationary and marine dissel engines. Marine oil usually consists of a blend of dissel oil and some residual (asphaltic) material. Peter Oil Peter oil production at the refinery is essentially a matter of selective blending of variable components rather than of special processing. Fuel oil viscosities vary vielning of variable components rather than of special processing. Fuel oil viscosities vary vielning of variables components rather than a viscous liquid or sold, nor viciliate of process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillates, may be a viscous representative and of sixtillates and residues. Peter mainly to naphtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillate, may be a viscous liquid or sold, nor-vicilate and possessesse waterprofing and adhesive properties.		
Crude Oil Is natural product that is extracted from mineral deposits and consists essentially of many different non-aromatic hydrocarbons (paraffrise, cycloriae, etc.) Aviation Gasoline (AV GAS) Is a special blended grade of gasoline for use in aircraft engines of the piston type.	Natural Gas	Is a mixture of gaseous hydrocarbons (mainly methane), which occur in either gas fields or in association with crude oil in oil fields.
Aviation Gasoline (AV GAS) Is a special blended grade of gasoline for use in aircraft engines of the piston type. Distillation range normally falls within 30°C and 200°C. Liquefied Petroleum Gas (LPG) Commercial LPG consists essentially of a mixture of propane and butane gases which are held in the liquid state by pressure or refigeration. Petrol Petroleum distillate used as fuel in spark: ignition internal combustion engines. Distillation range is within 30°C and 250°C. Aviation Turbine Fuel (ATF) Fuel for use in aviation gas turbines mainly refined from kerosene. Distillation range within 150°C and 250°C. Is a straight-run fraction from orude oil, with boiling range from 150°C to 250°C. Its main uses are for domestic lighting and cooking. Distillation falls within 200°C to 340°C. Dissel fuels for high-speed diesel engines (i.e. automotive) are more critical of fuel quality than diesel for stationary and marine diesel engines. Marine oil usually consists of a blend of diesel oil and some residual (asphaltic) material. Heavy distillates, residues or blends of these used as fuel for production of heat and power. Fuel oil production at the refinery is essentially a matter of selective blending of available components rather than of special processing. Fuel oil viscosities vary widely depending on the blend of distillates and residues. Refer mainly to nephtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphtha as a entired of a variety depending on the blend of distillation and subricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Solid, non-volatile and possesses waterpoofing and adhesive propartes. Lubricating oil is used for lubricating purposes and has distillations range within 380°C to 50°C. The gas released during the distillation of crude oil and comprises methane, ethene, propane and butane. Most refinery gas is retained in the refinery of used as fuel in plant operations.	LNG	Is natural gas that is liquefied for ocean transportation and export
Liquefied Petroleum Gas (LPG) Commercial I PG consists essentially of a mixture of propane and butane gases which are held in the liquid state by pressure or refrigeration. Petroleum distillate used as fuel in spark- ignition internal combustion engines. Distillation Trange is within 30°C and 250°C. Aviation Turbine Fuel (ATF) Fuel for use in aviation gas turbines mainly refined from kerosene. Distillation range within 150°C and 250°C. Fuel for use in aviation gas turbines mainly refined from kerosene. Distillation range within 150°C and 250°C. Is a straight-run fraction from crude oil, with boiling range from 150°C to 250°C. Its main uses are for domestic lighting and cooking. Distillation falls within 200°C to 340°C. Dissel fuels for high-speed diesel engines. Marine oil usually consists of a blend of dissel oil and some residual (asphatic) material. Fuel Oil Heavy distillates, residues or blends of these, used as fuel for production of heat and power. Fuel oil production at the refinery is essentially a matter of selective blending of avialible components rather than of special processing. Fuel oil viscosities vary widely depending on the blend of distillates and residues. Refer mainly to naphtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillates which is further, blended into motor gesoline or used as feed-stock in the chemical industry, blumen is a viscosial liquid or solid, on avoistile and possesses waterproofing and adhesive properties. Lubricating oil is used for lubricating purposes and has distillation range within 380°C to 500°C. The gas released during the distillation of crude oil and comprises methane, ethane, propane and butane. Most refinery gas is retained in the refinery and used as fuel in plant operations. Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy balances is mainly bituminous coal (medium grade in terms of ener	Crude Oil	Is natural product that is extracted from mineral deposits and consists essentially of many different non-aromatic hydrocarbons (paraffinic, cyclonic, etc.)
Petrol Petroleum distillate used as fuel in spark- ignition internal combustion engines. Distillation range is within 30°C and 250°C. Aviation Turbine Fuel (ATF) Fuel for use in aviation gas turbines mainly refined from kerosene. Distillation range within 150°C and 250°C. Kerosene Is a straight-run fraction from crude oil, with boiling range from 150°C to 250°C. Its main uses are for domestic lighting and cooking. Diesel (or Gas Oil) Diesel (or Gas Oil) Diesel (or Gas Oil) Diesel (or Gas Oil) Fuel Oil Petroleum distillate used as fuel in spark- ignition internal combustion and is a straight-run fraction from crude oil, with boiling range from 150°C to 250°C. Its main uses are for domestic lighting and cooking. Diesel (or Gas Oil) Diesel (or Gas Oil) Diesel (or Gas Oil) Diesel (or Gas Oil) Fuel Oil Petroleum distillates, residues or blends of these, used as fuel for production of heat and power. Fuel oil production at the refinery is essentially a matter of selective blending of available components rather than of special processing. Fuel oil viscosities vary widely depending on the blend of distillates and residues. Refer mainly to naphtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphthais a refined or party refined light distillate, which is further, blended into mortor gasoline or used as seed-stock in the chemical industry. Bitumen is a viscous liquid or solid, non volatile and possessess waterproofing and adhesive properties. Lubricating oil is used for lubricating purposes and has distillation range within 380°C to 500°C. The gas released during the distillation of crude oil and comprises methane, ethane, propane and butane. Most refinery gas is retained in the refinery on a some anthraotte (high quality hard coal). Coke is obtained from coal by heating at high temporature in the absence of air. Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy belance is mainly bituminous	Aviation Gasoline (AV GAS)	Is a special blended grade of gasoline for use in aircraft engines of the piston type. Distillation range normally falls within 30°C and 200°C.
Distillation range is within 30°C and 250°C. Fuel for use in aviation gas turbines mainly refined from kerosene. Distillation range within 150°C and 250°C. Kerosene Is a straight-run fraction from crude oil, with boiling range from 150°C to 250°C. Its main uses are for domestic lighting and cooking. Distillation falls within 200°C to 340°C. Dissel fuels for high speed diesel engines (i.e. automotive) are more critical of fuel quality than diesel for stationary and marine diesel engines. Marine oil usually consists of a blend of diesel oil and some residual (asphaltic) material. Fuel Oil Heavy distillates, residues or blends of these, used as fuel for production of heat and power. Fuel oil production at the refinery is essentially a matter of selective blending of available components rather than of special processing. Fuel oil viscosities vary widely depending on the blend of distillates and residues. Refer mainly to naphtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillate, which is further, blended into motor gascline or used as feed-stock in the chemical industry. Bitumen is a viscous liquid or solid, non-volatile and possesses waterproofing and adhesive properties. Lubricating oil is used for lubricating purposes and has distillation range within 380°C to 500°C. The gas released during the distillation of crude oil and comprises methane, ethane, propase and butane. Most refinery gas is retained in the refinery and used as fuel in plant operations. Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy balances is mainly bituminous coal (medium grade in terms of energy content) and some anthracite (high quality hard coal). Coke is obtained from coal by heating at high temperature in the absence of air. Hydropower Hydropower Fuel oil production of electricity refers to production from public utilities as well as independent power producers ((P	Liquefied Petroleum Gas (LPG)	Commercial LPG consists essentially of a mixture of propane and butane gases which are held in the liquid state by pressure or refrigeration.
Within 150°C and 250°C.	Petrol	Petroleum distillate used as fuel in spark- ignition internal combustion engines. Distillation range is within 30°C and 250°C.
Diesel (or Gas Oil) Distillation falls within 200°C to 340°C. Diesel fuels for high-speed diesel engines (i.e. automotive) are more critical of fuel quality than diesel for stationary and marine diesel engines. Marine oil usually consists of a blend of diesel oil and some residual (asphaltic) material. Heavy distillates, residues or blends of these, used as fuel for production of heat and power. Fuel oil production at the refinery is essentially a matter of selective blending of available components rather than of special processing. Fuel oil viscosities vary widely depending on the blend of distillates and residues. Refer mainly to naphtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillate, which is further, blended into motor gasoline or used as feed-stock in the chemical industry. Bitumen is a viscosu liquid or solid, non-volatile and possesses waterproofing and adhesive properties. Lubricating oil is used for lubricating purposes and has distillation range within 380°C to 500°C. The gas released during the distillation of crude oil and comprises methane, ethane, propane and butane. Most refinery gas is retained in the refinery and used as fuel in plant operations. Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy balances is mainly bituminous coal (medium grade in terms of energy content) and some anthracite (high quality hard coal). Coke is obtained from coal by heating at high temperature in the absence of air. Is the inferred primary energy available for electricity production and is shown in terms of conventional fossil fuel equivalent using the average thermal efficiency of conversion for the year, i.e. the hypothetical amount of fossil fuel, which would be needed to produce the same amount of electricity refers to production from public utilities as well as independent power producers (IPPs) and private installations & co-generation plan	Aviation Turbine Fuel (ATF)	Fuel for use in aviation gas turbines mainly refined from kerosene. Distillation range within 150°C and 250°C.
Diesel (or Gas Oil) automotive) are more critical of fuel quality than diesel for stationary and marine diesel engines. Marine oil usually consists of a blend of diesel oil and some residual (asphaltic) material. Heavy distillates, residues or blends of these, used as fuel for production of heat and power. Fuel oil production at the refinery is essentially a matter of selective blending of available components rather than of special processing. Fuel oil viscosities vary widely depending on the blend of distillates and residues. Refer mainly to naphtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillate, which is further, blended into motor gasoline or used as feed-stock in the chemical industry. Bitumen is a viscous liquid or solid, non-volatile and possesses waterproofing and adhesive properties. Univocating oil is used for lubricating purposes and has distillation range within 380°C to 500°C. The gas released during the distillation of crude oil and comprises methane, ethane, propane and butane. Most refinery gas is retained in the refinery and used as fuel in plant operations. Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy balances is mainly bituminous coal (medium grade in terms of energy content) and some anthracite (high quality hard coal). Coke is obtained from coal by heating at high temperature in the absence of air. Is the inferred primary energy available for electricity production and is shown in terms of conventional fossil fuel equivalent using the average thermal efficiency of conversion for the year, i.e. the hypothetical amount of fossil fuel, which would be needed to produce the same amount of electricity refers to production from public utilities as well as independent power producers (IPPs) and private installations & congeneration plants which obtain licenses from the Electricity Supply and Market Regulation & congeneration	Kerosene	Is a straight-run fraction from crude oil, with boiling range from 150°C to 250°C. Its main uses are for domestic lighting and cooking.
Power. Fuel oil production at the refinery is essentially a matter of selective blending of available components rather than of special processing. Fuel oil viscosities vary widely depending on the blend of distillates and residues. Refer mainly to naphtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillate, which is further, blended into motor gasoline or used as feed-stock in the chemical industry. Bitumen is a viscous liquid or solid, non-volatile and possesses waterproofing and adhesive properties. Lubricating oil is used for lubricating purposes and has distillation range within 380°C to 500°C. The gas released during the distillation of crude oil and comprises methane, ethane, propane and butane. Most refinery gas is retained in the refinery and used as fuel in plant operations. Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy balances is mainly bituminous coal (medium grade in terms of energy content) and some anthracite (high quality hard coal). Coke is obtained from coal by heating at high temperature in the absence of air. Is the inferred primary energy available for electricity production and is shown in terms of conventional fossil fuel equivalent using the average thermal efficiency of conversion for the year, i.e. the hypothetical amount of fossil fuel, which would be needed to produce the same amount of electricity refers to production from public utilities as well as independent power producers (IPPs) and private installations & co-generation plants which obtain licenses from the Electricity Supply and Market Regulation Department. Figures for fuel	Diesel (or Gas Oil)	automotive) are more critical of fuel quality than diesel for stationary and marine diesel engines. Marine oil usually consists of a blend of diesel oil and some residual (asphaltic)
Non-Energy Products process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillate, which is further, blended into motor gasoline or used as feed-stock in the chemical industry. Bitumen is a viscous liquid or solid, non-volatile and possesses waterproofing and adhesive properties. Lubricating oil is used for lubricating purposes and has distillation range within 380°C to 500°C. The gas released during the distillation of crude oil and comprises methane, ethane, propane and butane. Most refinery gas is retained in the refinery and used as fuel in plant operations. Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy balances is mainly bituminous coal (medium grade in terms of energy content) and some anthracite (high quality hard coal). Coke is obtained from coal by heating at high temperature in the absence of air. Is the inferred primary energy available for electricity production and is shown in terms of conventional fossil fuel equivalent using the average thermal efficiency of conversion for the year, i.e. the hypothetical amount of fossil fuel, which would be needed to produce the same amount of electricity in existing thermal power plants. Production of electricity refers to production from public utilities as well as independent power producers (IPPs) and private installations & co-generation plants which obtain licenses from the Electricity Supply and Market Regulation Department. Figures for 'fuel	Fuel Oil	Heavy distillates, residues or blends of these, used as fuel for production of heat and power. Fuel oil production at the refinery is essentially a matter of selective blending of available components rather than of special processing. Fuel oil viscosities vary widely depending on the blend of distillates and residues.
Production of electricity Production Most refinery gas is retained in the refinery and used as fuel in plant operations. Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy balances is mainly bituminous coal (medium grade in terms of energy content) and some anthracite (high quality hard coal). Coke is obtained from coal by heating at high temperature in the absence of air. Is the inferred primary energy available for electricity production and is shown in terms of conventional fossil fuel equivalent using the average thermal efficiency of conversion for the year, i.e. the hypothetical amount of fossil fuel, which would be needed to produce the same amount of electricity in existing thermal power plants. Production of electricity refers to production from public utilities as well as independent power producers (IPPs) and private installations & co-generation plants which obtain licenses from the Electricity Supply and Market Regulation Department. Figures for 'fuel'	Non-Energy Products	Refer mainly to naphtha bitumen and lubricants, which are obtained by the refinery process from petroleum but used for non-energy purposes. Naphtha is a refined or party refined light distillate, which is further, blended into motor gasoline or used as feed-stock in the chemical industry. Bitumen is a viscous liquid or solid, non-volatile and possesses waterproofing and adhesive properties. Lubricating oil is used for lubricating purposes and has distillation range within 380°C to 500°C.
Coal and Coke energy balances is mainly bituminous coal (medium grade in terms of energy content) and some anthracite (high quality hard coal). Coke is obtained from coal by heating at high temperature in the absence of air. Is the inferred primary energy available for electricity production and is shown in terms of conventional fossil fuel equivalent using the average thermal efficiency of conversion for the year, i.e. the hypothetical amount of fossil fuel, which would be needed to produce the same amount of electricity in existing thermal power plants. Production of electricity refers to production from public utilities as well as independent power producers (IPPs) and private installations & co-generation plants which obtain licenses from the Electricity Supply and Market Regulation Department. Figures for 'fuel'	Refinery Gas	The gas released during the distillation of crude oil and comprises methane, ethane, propane and butane. Most refinery gas is retained in the refinery and used as fuel in plant operations.
Hydropower of conventional fossil fuel equivalent using the average thermal efficiency of conversion for the year, i.e. the hypothetical amount of fossil fuel, which would be needed to produce the same amount of electricity in existing thermal power plants. Production of electricity refers to production from public utilities as well as independent power producers (IPPs) and private installations & co-generation plants which obtain licenses from the Electricity Supply and Market Regulation Department. Figures for 'fuel	Coal and Coke	Solid fuels consisting essentially of carbon, hydrogen, oxygen sulphur. Coal in the energy balances is mainly bituminous coal (medium grade in terms of energy content) and some anthracite (high quality hard coal). Coke is obtained from coal by heating at high temperature in the absence of air.
power producers (IPPs) and private installations & co-generation plants which obtain licenses from the Electricity Supply and Market Regulation Department. Figures for 'fuel	Hydropower	Is the inferred primary energy available for electricity production and is shown in terms of conventional fossil fuel equivalent using the average thermal efficiency of conversion for the year, i.e. the hypothetical amount of fossil fuel, which would be needed to produce the same amount of electricity in existing thermal power plants.
IPPs as well as GDC Sdn Bhd. Estimates were made using average conversion efficiency to obtain the fuel input into private installations.	Electricity Production	Production of electricity refers to production from public utilities as well as independent power producers (IPPs) and private installations & co-generation plants which obtain licenses from the Electricity Supply and Market Regulation Department. Figures for 'fuel input' into power stations & co-generation plants were only available for TNB, SEB, SESB, IPPs as well as GDC Sdn Bhd. Estimates were made using average conversion efficiency to obtain the fuel input into private installations.



SURUHANJAYA TENAGA (ENERGY COMMISSION) No. 12, Jalan Tun Hussein, Precinct 2, 62100 Putrajaya, Malaysia.

T: (03)8870 8500 F: (03)8888 8637 W: www.st.gov.my

Toll Free Number: 1 – 800 – 2222 – 78 (ST)